

# Pigment concentrations from R/V Thomas G. Thompson cruises TT007, TT011, TT008, TT012 in the Equatorial Pacific in 1992 during the U.S. JGOFS Equatorial Pacific (EqPac) project

**Website:** <https://www.bco-dmo.org/dataset/2628>

**Version:** final

**Version Date:** 2002-06-24

## Project

» [U.S. JGOFS Equatorial Pacific](#) (EqPac)

## Program

» [U.S. Joint Global Ocean Flux Study](#) (U.S. JGOFS)

Contributors	Affiliation	Role
<a href="#">Bidigare, Robert R.</a>	University of Hawai'i (UH)	Principal Investigator
<a href="#">Chandler, Cynthia L.</a>	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

---

## Table of Contents

- [Dataset Description](#)
  - [Methods & Sampling](#)
- [Data Files](#)
- [Parameters](#)
- [Instruments](#)
- [Deployments](#)
- [Project Information](#)
- [Program Information](#)

---

## Dataset Description

Pigment concentrations

## Methods & Sampling

See Platform deployments for cruise specific documentation

[ [table of contents](#) | [back to top](#) ]

---

## Data Files

File	
<b>pigments_TT007.csv</b>	(Comma Separated Values (.csv), 42.65 KB) MD5:205b2af15006af55a19db6dfe44172de
<p>version April 24, 1995            Bob Bidigare, revised 1/31/93 per Bidigare            Thomas Thompson cruise TT007            pigment concentrations</p>	
<b>pigments_TT008.csv</b>	(Comma Separated Values (.csv), 26.50 KB) MD5:df6c34ed196ea747d852c946f44d26ce
<p>version June 24, 2002            (previous version April 10, 1994)            Bob Bidigare, File revised 1/31/93 per Bidigare            Thomas Thompson cruise TT008            pigment concentrations</p> <p>cast number 0 (event 03211400) is an unnumbered cast taken with Moss Landings Trace-Metal-Free rosette.</p>	
<b>pigments_TT011.csv</b>	(Comma Separated Values (.csv), 48.44 KB) MD5:5b386e2e2fa767c2b03fb83629a3e40b
<p>version June 24, 2002            (previous version April 10, 1994)            Bob Bidigare, revised 2/22/93 per Bidigare            Thomas Thompson cruise TT011            HPLC pigment concentrations</p>	
<b>pigments_TT012.csv</b>	(Comma Separated Values (.csv), 26.07 KB) MD5:44fb37cd41f9efc5a4c22762fb959e58
<p>version June 24, 2002            (previous version April 10, 1994)            Bob Bidigare, File revised 7/28/93 by Bidigare            Thomas Thompson cruise TT012, fall time series            pigment concentrations</p>	

[ [table of contents](#) | [back to top](#) ]

## Parameters

Parameter	Description	Units
sample	originator internal sample number	
event	event/operation number from event log	
cast	CTD cast number from event log	
bot	CTD rosette bottle number	
depth_n	nominal depth of sample	meters

chl_c3	chlorophyll c3	nanograms/liter
chlde_a	chlorophyllide a	nanograms/liter
chl_c1_c2	chlorophylls c1 and c2	nanograms/liter
peridinin	peridinin	nanograms/liter
fucox_but	19'-butanoyloxyfucoxanthin	nanograms/liter
fucox	fucoxanthin	nanograms/liter
fucox_hex	19'-hexanoyloxyfucoxanthin	nanograms/liter
prasinox	prasinoxanthin	nanograms/liter
violax	violaxanthin	nanograms/liter
diadinox	diadinoxanthin	nanograms/liter
allox	alloxanthin	nanograms/liter
diatox	diatoxanthin	nanograms/liter
zeax	zeaxanthin	nanograms/liter
chl_b	chlorophyll b	nanograms/liter
chl_a_allo	allomerized chlorophyll a	nanograms/liter
chl_a	chlorophyll a	nanograms/liter
chl_c4	phytolated chlorophyll c-like pigment	nanograms/liter
chl_a_prime	chlorophyll a'	nanograms/liter
carotene_a	alpha-carotene	nanograms/liter

carotene_b	beta-carotene	nanograms/liter
------------	---------------	-----------------

[ [table of contents](#) | [back to top](#) ]

## Instruments

<b>Dataset-specific Instrument Name</b>	Niskin Bottle
<b>Generic Instrument Name</b>	Niskin bottle
<b>Dataset-specific Description</b>	CTD clean rosette (Niskin) bottles were used to collect water samples.
<b>Generic Instrument Description</b>	A Niskin bottle (a next generation water sampler based on the Nansen bottle) is a cylindrical, non-metallic water collection device with stoppers at both ends. The bottles can be attached individually on a hydrowire or deployed in 12, 24, or 36 bottle Rosette systems mounted on a frame and combined with a CTD. Niskin bottles are used to collect discrete water samples for a range of measurements including pigments, nutrients, plankton, etc.

[ [table of contents](#) | [back to top](#) ]

## Deployments

### TT007

<b>Website</b>	<a href="https://www.bco-dmo.org/deployment/57728">https://www.bco-dmo.org/deployment/57728</a>
<b>Platform</b>	R/V Thomas G. Thompson
<b>Start Date</b>	1992-01-30
<b>End Date</b>	1992-03-13
<b>Description</b>	<p>Purpose: Spring Survey Cruise; 12°N-12°S at 140°W TT007 was one of five cruises conducted in 1992 in support of the U.S. Equatorial Pacific (EqPac) Process Study. The five EqPac cruises aboard R/V Thomas G. Thompson included two repeat meridional sections (12°N - 12°S), 2 equatorial surveys, and a benthic survey (all at 140° W). The scientific objectives of this study were to observe the processes in the Equatorial Pacific controlling the fluxes of carbon and related elements between the atmosphere, euphotic zone, and deep ocean. As luck would have it, the survey window coincided with an El Nino event. A bonus for the research team.</p> <p><b>Methods &amp; Sampling</b>  PI: Robert Bidigare of: University of Hawaii dataset: Pigment concentrations dates: February 04, 1992 to March 08, 1992 location: N: 12.0102 S: -12.2083 W: -140.5219 E: -134.7269 project/cruise: EQPAC/TT007 - Spring Survey ship: Thomas Thompson Methodology: U.S. JGOFS Equatorial Pacific Process Study Sampling and Analytical Protocols (section 9) EqPac bottle quality review summary from DMO DMO cautionary note: The DMO suspects a misalignment of either bottle numbers or the corresponding depths/pressures for event number 02171300. The correct alignment can not be determined. The entire cast is in question.</p>

### TT011

<b>Website</b>	<a href="https://www.bco-dmo.org/deployment/57730">https://www.bco-dmo.org/deployment/57730</a>
<b>Platform</b>	R/V Thomas G. Thompson
<b>Start Date</b>	1992-08-05
<b>End Date</b>	1992-09-18
<b>Description</b>	<p>Purpose: Fall Survey; 12°N-12°S at 140°W TT011 was one of five cruises conducted in 1992 in support of the U.S. Equatorial Pacific (EqPac) Process Study. The five EqPac cruises aboard R/V Thomas G. Thompson included two repeat meridional sections (12°N - 12°S), 2 equatorial surveys, and a benthic survey (all at 140° W). The scientific objectives of this study were to observe the processes in the Equatorial Pacific controlling the fluxes of carbon and related elements between the atmosphere, euphotic zone, and deep ocean. As luck would have it, the survey window coincided with an El Nino event. A bonus for the research team.</p> <p><b>Methods &amp; Sampling</b>  PI: Robert Bidigare of: University of Hawaii dataset: Pigment concentrations dates: August 10, 1992 to September 14, 1992 location: N: 12.02 S: -11.9667 W: -140.9117 E: -134.9433 project/cruise: EQPAC/TT011 - Fall Survey ship: Thomas Thompson Methodology: U.S. JGOFS Equatorial Pacific Process Study Sampling and Analytical Protocols (section 9) EqPac bottle quality review summary from DMO</p>

### TT008

<b>Website</b>	<a href="https://www.bco-dmo.org/deployment/57729">https://www.bco-dmo.org/deployment/57729</a>
<b>Platform</b>	R/V Thomas G. Thompson
<b>Start Date</b>	1992-03-19
<b>End Date</b>	1992-04-15
<b>Description</b>	<p>Purpose: Spring Time Series; Equator, 140°W TT008 was one of five cruises conducted in 1992 in support of the U.S. Equatorial Pacific (EqPac) Process Study. The five EqPac cruises aboard R/V Thomas G. Thompson included two repeat meridional sections (12°N - 12°S), 2 equatorial surveys, and a benthic survey (all at 140° W). The scientific objectives of this study were to observe the processes in the Equatorial Pacific controlling the fluxes of carbon and related elements between the atmosphere, euphotic zone, and deep ocean. As luck would have it, the survey window coincided with an El Nino event. A bonus for the research team.</p> <p><b>Methods &amp; Sampling</b>  PI: Robert Bidigare of: University of Hawaii dataset: Pigment concentrations dates: March 21, 1992 to April 14, 1992 location: N: 9.011 S: -2.0178 W: -140.0717 E: -139.8972 project/cruise: EQPAC/TT008 - Spring Time Series ship: Thomas Thompson Methodology: U.S. JGOFS Equatorial Pacific Process Study Sampling and Analytical Protocols (section 9) EqPac bottle quality review summary from DMO</p>

### TT012

<b>Website</b>	<a href="https://www.bco-dmo.org/deployment/57731">https://www.bco-dmo.org/deployment/57731</a>
<b>Platform</b>	R/V Thomas G. Thompson
<b>Start Date</b>	1992-09-24
<b>End Date</b>	1992-10-21
<b>Description</b>	<p>Purpose: Fall Time Series; Equator, 140°W TT012 was one of five cruises conducted in 1992 in support of the U.S. Equatorial Pacific (EqPac) Process Study. The five EqPac cruises aboard R/V Thomas G. Thompson included two repeat meridional sections (12°N - 12°S), 2 equatorial surveys, and a benthic survey (all at 140° W). The scientific objectives of this study were to observe the processes in the Equatorial Pacific controlling the fluxes of carbon and related elements between the atmosphere, euphotic zone, and deep ocean. As luck would have it, the survey window coincided with an El Nino event. A bonus for the research team.</p> <p><b>Methods &amp; Sampling</b>  PI: Robert Bidigare of: University of Hawaii dataset: Pigment concentrations dates: September 25, 1992 to October 21, 1992 location: N: 0.079 S: -12 W: -145.489 E: -139.8587  project/cruise: EQPAC/TT012 - Fall Time Series ship: Thomas Thompson Methodology: U.S. JGOFS Equatorial Pacific Process Study Sampling and Analytical Protocols (section 9) EqPac bottle quality review summary from DMO</p>

[ [table of contents](#) | [back to top](#) ]

## Project Information

### U.S. JGOFS Equatorial Pacific (EqPac)

**Website:** <http://usjgofs.whoi.edu/research/eqpac.html>

**Coverage:** Equatorial Pacific

The U.S. EqPac process study consisted of repeat meridional sections (12°N -12°S) across the equator in the central and eastern equatorial Pacific from 95°W to 170°W during 1992. The major scientific program was focused at 140° W consisting of two meridional surveys, two equatorial surveys, and a benthic survey aboard the R/V Thomas Thompson. Long-term deployments of current meter and sediment trap arrays augmented the survey cruises. NOAA conducted boreal spring and fall sections east and west of 140°W from the R/V Baldrige and R/V Discoverer. Meteorological and sea surface observations were obtained from NOAA's in place TOGA-TAO buoy network.

The scientific objectives of this study were to determine the fluxes of carbon and related elements, and the processes controlling these fluxes between the Equatorial Pacific euphotic zone and the atmosphere and deep ocean. A broad overview of the program at the 140°W site is given by Murray et al. (Oceanography, 5: 134-142, 1992). A full description of the Equatorial Pacific Process Study, including the international context and the scientific results, appears in a series of Deep-Sea Research Part II special volumes:

Topical Studies in Oceanography, A U.S. JGOFS Process Study in the Equatorial Pacific (1995), Deep-Sea Research Part II, Volume 42, No. 2/3.

Topical Studies in Oceanography, A U.S. JGOFS Process Study in the Equatorial Pacific. Part 2 (1996), Deep-Sea Research Part II, Volume 43, No. 4/6.

Topical Studies in Oceanography, A U.S. JGOFS Process Study in the Equatorial Pacific (1997), Deep-Sea Research Part II, Volume 44, No. 9/10.

Topical Studies in Oceanography, The Equatorial Pacific JGOFS Synthesis (2002), Deep-Sea Research Part II, Volume 49, Nos. 13/14.

## **Program Information**

### **U.S. Joint Global Ocean Flux Study (U.S. JGOFS)**

**Website:** <http://usjgofs.whoi.edu/>

**Coverage:** Global

The United States Joint Global Ocean Flux Study was a national component of international JGOFS and an integral part of global climate change research.

The U.S. launched the Joint Global Ocean Flux Study (JGOFS) in the late 1980s to study the ocean carbon cycle. An ambitious goal was set to understand the controls on the concentrations and fluxes of carbon and associated nutrients in the ocean. A new field of ocean biogeochemistry emerged with an emphasis on quality measurements of carbon system parameters and interdisciplinary field studies of the biological, chemical and physical process which control the ocean carbon cycle. As we studied ocean biogeochemistry, we learned that our simple views of carbon uptake and transport were severely limited, and a new "wave" of ocean science was born. U.S. JGOFS has been supported primarily by the U.S. National Science Foundation in collaboration with the National Oceanic and Atmospheric Administration, the National Aeronautics and Space Administration, the Department of Energy and the Office of Naval Research. U.S. JGOFS, ended in 2005 with the conclusion of the Synthesis and Modeling Project (SMP).