

Mixed Layer Depths from R/V Thomas G. Thompson cruises TT007, TT008, TT011, TT012 in the Equatorial Pacific in 1992 during the U.S. JGOFS Equatorial Pacific (EqPac) project

Website: <https://www.bco-dmo.org/dataset/2635>

Version: June 25, 2002

Version Date: 2002-06-25

Project

» [U.S. JGOFS Equatorial Pacific](#) (EqPac)

Program

» [U.S. Joint Global Ocean Flux Study](#) (U.S. JGOFS)

Contributors	Affiliation	Role
Gardner, Wilford D.	Texas A&M University (TAMU)	Principal Investigator
Chandler, Cynthia L.	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Table of Contents

- [Dataset Description](#)
 - [Methods & Sampling](#)
- [Data Files](#)
- [Parameters](#)
- [Instruments](#)
- [Deployments](#)
- [Project Information](#)
- [Program Information](#)

Dataset Description

Mixed Layer Depths

Methods & Sampling

See Platform deployments for cruise specific documentation

[[table of contents](#) | [back to top](#)]

Data Files

File

mixed_TT007.csv (Comma Separated Values (.csv), 4.64 KB)

MD5:a7c285b7943ca89e67e08d23024171a5

version June 25, 2002
(previous version April 10, 2000)
all data are identical to May, 1996, but with event, sta parameters added

Wilford Gardner
Eqpac TT007
See Gardner's note in Documentation link (PI-Notes)

Mixed layer depths are based on a density increase
of 0.03 and 0.125 density units from the
first surface value of sigma-theta.

Please note variable initial (starting) depths.

mixed_TT008.csv (Comma Separated Values (.csv), 1.93 KB)

MD5:6b2c0de528e21cb8ade8c8f284a5073f

version June 25, 2002
(previous version April 10, 2000)
all data are identical to May, 1996, but with event, sta parameters added

Wilford Gardner
Eqpac TT008
See Gardner's note in Documentation link (PI-Notes)

Mixed layer depths are based on a density increase
of 0.03 and 0.125 density units from the
first surface value of sigma-theta.

Please note variable initial (starting) depths.

mixed_TT011.csv (Comma Separated Values (.csv), 5.37 KB)

MD5:02b2880765af9a64573a183884bdcac7

version June 25, 2002
(previous version April 10, 2000)
all data are identical to May, 1996, but with event, sta parameters added

Wilford Gardner
Eqpac TT011
See Gardner's note in Documentation link (PI-Notes)

Mixed layer depths are based on a density increase
of 0.03 and 0.125 density units from the
first surface value of sigma-theta.

Please note variable initial (starting) depths.

mixed_TT012.csv (Comma Separated Values (.csv), 2.49 KB)

MD5:d72b3d6ca4b4e5efbda5efdd82935edd

version June 25, 2002
(previous version April 10, 2000)
all data are identical to May, 1996, but with event, sta parameters added

Wilford Gardner
Eqpac TT012
See Gardner's note in Documentation link (PI-Notes)

Mixed layer depths are based on a density increase
of 0.03 and 0.125 density units from the
first surface value of sigma-theta.

Please note variable initial (starting) depths.

Parameters

Parameter	Description	Units
event	event number from the event log	
sta	station number from the event log	
cast	CTD cast number from event log	
yrday	local time as decimal day of year 1992	
MLD_0d03_dp	Mixed Layer Depth using a density increase of 0.03 density units from the surface value	decibars
MLD_0d125_dp	Mixed Layer Depth using a density increase of 0.125 density units from the surface value	decibars
depth_start	first surface value as listed in the finalized CTD data	decibars

Instruments

Dataset-specific Instrument Name	CTD Sea-Bird
Generic Instrument Name	CTD Sea-Bird
Generic Instrument Description	A Conductivity, Temperature, Depth (CTD) sensor package from SeaBird Electronics. This instrument designation is used when specific make and model are not known or when a more specific term is not available in the BCO-DMO vocabulary. Refer to the dataset-specific metadata for more information about the specific CTD used. More information from: http://www.seabird.com/

Deployments

TT007

Website	https://www.bco-dmo.org/deployment/57728
Platform	R/V Thomas G. Thompson
Start Date	1992-01-30
End Date	1992-03-13
Description	<p>Purpose: Spring Survey Cruise; 12°N-12°S at 140°W TT007 was one of five cruises conducted in 1992 in support of the U.S. Equatorial Pacific (EqPac) Process Study. The five EqPac cruises aboard R/V Thomas G. Thompson included two repeat meridional sections (12°N - 12°S), 2 equatorial surveys, and a benthic survey (all at 140° W). The scientific objectives of this study were to observe the processes in the Equatorial Pacific controlling the fluxes of carbon and related elements between the atmosphere, euphotic zone, and deep ocean. As luck would have it, the survey window coincided with an El Nino event. A bonus for the research team.</p> <p>Methods & Sampling PI: Wilford Gardner of: Texas A&M University dataset: Mixed Layer Depths dates: February 03, 1992 to March 09, 1992 location: N: 12.0674 S: -12.2083 W: -140.7692 E: -134.3131 project/cruise: EQPAC/TT007 - Spring Survey ship: Thomas Thompson PI-Notes DMO Notes</p>

TT008

Website	https://www.bco-dmo.org/deployment/57729
Platform	R/V Thomas G. Thompson
Start Date	1992-03-19
End Date	1992-04-15
Description	<p>Purpose: Spring Time Series; Equator, 140°W TT008 was one of five cruises conducted in 1992 in support of the U.S. Equatorial Pacific (EqPac) Process Study. The five EqPac cruises aboard R/V Thomas G. Thompson included two repeat meridional sections (12°N - 12°S), 2 equatorial surveys, and a benthic survey (all at 140° W). The scientific objectives of this study were to observe the processes in the Equatorial Pacific controlling the fluxes of carbon and related elements between the atmosphere, euphotic zone, and deep ocean. As luck would have it, the survey window coincided with an El Nino event. A bonus for the research team.</p> <p>Methods & Sampling PI: Wilford Gardner of: Texas A&M University dataset: Mixed Layer Depths dates: March 19, 1992 to April 14, 1992 location: N: 9.0905 S: -8.7858 W: -143.0025 E: -139.8528 project/cruise: EQPAC/TT008 - Spring Time Series ship: Thomas Thompson PI-Notes DMO Notes</p>

TT011

Website	https://www.bco-dmo.org/deployment/57730
Platform	R/V Thomas G. Thompson
Start Date	1992-08-05
End Date	1992-09-18
Description	<p>Purpose: Fall Survey; 12°N-12°S at 140°W TT011 was one of five cruises conducted in 1992 in support of the U.S. Equatorial Pacific (EqPac) Process Study. The five EqPac cruises aboard R/V Thomas G. Thompson included two repeat meridional sections (12°N - 12°S), 2 equatorial surveys, and a benthic survey (all at 140° W). The scientific objectives of this study were to observe the processes in the Equatorial Pacific controlling the fluxes of carbon and related elements between the atmosphere, euphotic zone, and deep ocean. As luck would have it, the survey window coincided with an El Nino event. A bonus for the research team.</p> <p>Methods & Sampling PI: Wilford Gardner of: Texas A&M University dataset: Mixed Layer Depths dates: August 10, 1992 to September 15, 1992 location: N: 12.0317 S: -11.9767 W: -141.4467 E: -134.9117 project/cruise: EQPAC/TT011 - Fall Survey ship: Thomas Thompson PI-Notes DMO Notes</p>

TT012

Website	https://www.bco-dmo.org/deployment/57731
Platform	R/V Thomas G. Thompson
Start Date	1992-09-24
End Date	1992-10-21
Description	<p>Purpose: Fall Time Series; Equator, 140°W TT012 was one of five cruises conducted in 1992 in support of the U.S. Equatorial Pacific (EqPac) Process Study. The five EqPac cruises aboard R/V Thomas G. Thompson included two repeat meridional sections (12°N - 12°S), 2 equatorial surveys, and a benthic survey (all at 140° W). The scientific objectives of this study were to observe the processes in the Equatorial Pacific controlling the fluxes of carbon and related elements between the atmosphere, euphotic zone, and deep ocean. As luck would have it, the survey window coincided with an El Nino event. A bonus for the research team.</p> <p>Methods & Sampling PI: Wilford Gardner of: Texas A&M University dataset: Mixed Layer Depths dates: September 24, 1992 to October 21, 1992 location: N: 0.079 S: -17.1937 W: -149.3897 E: -139.8927 project/cruise: EQPAC/TT012 - Fall Time Series ship: Thomas Thompson PI-Notes DMO Notes</p>

[[table of contents](#) | [back to top](#)]

Project Information

U.S. JGOFS Equatorial Pacific (EqPac)

Website: <http://usjgofs.whoi.edu/research/eqpac.html>

Coverage: Equatorial Pacific

The U.S. EqPac process study consisted of repeat meridional sections (12°N -12°S) across the equator in the central and eastern equatorial Pacific from 95°W to 170°W during 1992. The major scientific program was focused at 140° W consisting of two meridional surveys, two equatorial surveys, and a benthic survey aboard the R/V Thomas Thompson. Long-term deployments of current meter and sediment trap arrays augmented the survey cruises. NOAA conducted boreal spring and fall sections east and west of 140°W from the R/V Baldrige and R/V Discoverer. Meteorological and sea surface observations were obtained from NOAA's in place TOGA-TAO buoy network.

The scientific objectives of this study were to determine the fluxes of carbon and related elements, and the processes controlling these fluxes between the Equatorial Pacific euphotic zone and the atmosphere and deep ocean. A broad overview of the program at the 140°W site is given by Murray et al. (Oceanography, 5: 134-142, 1992). A full description of the Equatorial Pacific Process Study, including the international context and the scientific results, appears in a series of Deep-Sea Research Part II special volumes:

Topical Studies in Oceanography, A U.S. JGOFS Process Study in the Equatorial Pacific (1995), Deep-Sea Research Part II, Volume 42, No. 2/3.

Topical Studies in Oceanography, A U.S. JGOFS Process Study in the Equatorial Pacific. Part 2 (1996), Deep-Sea Research Part II, Volume 43, No. 4/6.

Topical Studies in Oceanography, A U.S. JGOFS Process Study in the Equatorial Pacific (1997), Deep-Sea Research Part II, Volume 44, No. 9/10.

Topical Studies in Oceanography, The Equatorial Pacific JGOFS Synthesis (2002), Deep-Sea Research Part II, Volume 49, Nos. 13/14.

[[table of contents](#) | [back to top](#)]

Program Information

U.S. Joint Global Ocean Flux Study (U.S. JGOFS)

Website: <http://usjgofs.whoi.edu/>

Coverage: Global

The United States Joint Global Ocean Flux Study was a national component of international JGOFS and an integral part of global climate change research.

The U.S. launched the Joint Global Ocean Flux Study (JGOFS) in the late 1980s to study the ocean carbon cycle. An ambitious goal was set to understand the controls on the concentrations and fluxes of carbon and associated nutrients in the ocean. A new field of ocean biogeochemistry emerged with an emphasis on quality measurements of carbon system parameters and interdisciplinary field studies of the biological, chemical and physical process which control the ocean carbon cycle. As we studied ocean biogeochemistry, we learned that our simple views of carbon uptake and transport were severely limited, and a new "wave" of ocean science was born. U.S. JGOFS has been supported primarily by the U.S. National Science Foundation in collaboration with the National Oceanic and Atmospheric Administration, the National Aeronautics and Space Administration, the Department of Energy and the Office of Naval Research. U.S. JGOFS, ended in 2005 with the conclusion of the Synthesis and Modeling Project (SMP).

[[table of contents](#) | [back to top](#)]