

High-sensitivity euphotic zone ammonium data from R/V Thomas G. Thompson cruises TT007, TT011 in the Equatorial Pacific in 1992 during the U.S. JGOFS Equatorial Pacific (EqPac) project

Website: <https://www.bco-dmo.org/dataset/2648>

Version: December 21, 1994

Version Date: 1994-12-21

Project

» [U.S. JGOFS Equatorial Pacific](#) (EqPac)

Program

» [U.S. Joint Global Ocean Flux Study](#) (U.S. JGOFS)

Contributors	Affiliation	Role
McCarthy, James J.	Harvard University	Principal Investigator
Chandler, Cynthia L.	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Table of Contents

- [Dataset Description](#)
 - [Methods & Sampling](#)
- [Data Files](#)
- [Parameters](#)
- [Instruments](#)
- [Deployments](#)
- [Project Information](#)
- [Program Information](#)

Dataset Description

High-sensitivity euphotic zone ammonium data

Methods & Sampling

See Platform deployments for cruise specific documentation

[[table of contents](#) | [back to top](#)]

Data Files

File
ammonium_TT007.csv (Comma Separated Values (.csv), 4.05 KB) MD5:bad7132c1fe6a319e9ecfdb9fe69e6a2 version December 21, 1994 James J. McCarthy, Harvard Univ. High Sensitivity Euphotic Zone Ammonium Data Thomas Thompson cruise TT007 Samples were obtained with the *trace metal-clean* rosette and assayed by the method of Brzezinski (1988) Limnol. & Oceanog. 33: 1176-1182. Detection limit = 0.002 micro molar.
ammonium_TT011.csv (Comma Separated Values (.csv), 5.22 KB) MD5:e55adfed39ed5c1d4b30bf376786510f version December 21, 1994 James McCarthy, Harvard Univ. High Sensitivity Euphotic Zone Ammonium Data Thomas Thompson cruise TT011, Aug-Sep 1992 Samples were obtained with the *trace metal-clean* rosette and assayed by the method of Brzezinski (1988) Limnol. & Oceanog. 33: 1176-1182. Detection limit = 0.002 micro molar.

[[table of contents](#) | [back to top](#)]

Parameters

Parameter	Description	Units
sta	station number from event log	
cast	cast number of Trace Metal Free (TM) casts	
event	event number, a unique assigned to each sampling operation, a concatenation of date and time (MMDDHHmm)	
depth	sample depth	meters
nh4	ammonium concentration	micro molar

[[table of contents](#) | [back to top](#)]

Instruments

Dataset-specific Instrument Name	Trace Metal Bottle
Generic Instrument Name	Trace Metal Bottle
Dataset-specific Description	Trace metal (TM) clean rosette bottles were used to collect water samples.
Generic Instrument Description	Trace metal (TM) clean rosette bottle used for collecting trace metal clean seawater samples.

Deployments

TT007

Website	https://www.bco-dmo.org/deployment/57728
Platform	R/V Thomas G. Thompson
Start Date	1992-01-30
End Date	1992-03-13
Description	<p>Purpose: Spring Survey Cruise; 12°N-12°S at 140°W TT007 was one of five cruises conducted in 1992 in support of the U.S. Equatorial Pacific (EqPac) Process Study. The five EqPac cruises aboard R/V Thomas G. Thompson included two repeat meridional sections (12°N - 12°S), 2 equatorial surveys, and a benthic survey (all at 140° W). The scientific objectives of this study were to observe the processes in the Equatorial Pacific controlling the fluxes of carbon and related elements between the atmosphere, euphotic zone, and deep ocean. As luck would have it, the survey window coincided with an El Nino event. A bonus for the research team.</p> <p>Methods & Sampling PI: James McCarthy of: Harvard University dataset: Ammonium Concentrations dates: February 07, 1992 to March 09, 1992 location: N: 9.0658 S: -12.1113 W: -140.511 E: -135 project/cruise: EQPAC/TT007 - Spring Survey ship: Thomas Thompson PI-Notes: Samples were obtained with the *trace metal-clean* rosette and assayed by the method of Brzezinski (1988) Limnol. & Oceanog. 33: 1176-1182. Detection limit = 0.002 micro molar.</p>

TT011

Website	https://www.bco-dmo.org/deployment/57730
Platform	R/V Thomas G. Thompson
Start Date	1992-08-05
End Date	1992-09-18
Description	<p>Purpose: Fall Survey; 12°N-12°S at 140°W TT011 was one of five cruises conducted in 1992 in support of the U.S. Equatorial Pacific (EqPac) Process Study. The five EqPac cruises aboard R/V Thomas G. Thompson included two repeat meridional sections (12°N - 12°S), 2 equatorial surveys, and a benthic survey (all at 140° W). The scientific objectives of this study were to observe the processes in the Equatorial Pacific controlling the fluxes of carbon and related elements between the atmosphere, euphotic zone, and deep ocean. As luck would have it, the survey window coincided with an El Nino event. A bonus for the research team.</p> <p>Methods & Sampling PI: James McCarthy of: Harvard University dataset: Ammonium Concentrations dates: August 11, 1992 to September 14, 1992 location: N: 12.025 S: -11.9433 W: -140.7383 E: -134.935 project/cruise: EQPAC/TT011 - Fall Survey ship: Thomas Thompson PI-Notes: Samples were obtained with the *trace metal-clean* rosette and assayed by the method of Brzezinski (1988) Limnol. & Oceanog. 33: 1176-1182. Detection limit = 0.002 micro molar.</p>

Project Information

U.S. JGOFS Equatorial Pacific (EqPac)

Website: <http://usjgofs.whoi.edu/research/eqpac.html>

Coverage: Equatorial Pacific

The U.S. EqPac process study consisted of repeat meridional sections (12°N -12°S) across the equator in the central and eastern equatorial Pacific from 95°W to 170°W during 1992. The major scientific program was focused at 140° W consisting of two meridional surveys, two equatorial surveys, and a benthic survey aboard the R/V Thomas Thompson. Long-term deployments of current meter and sediment trap arrays augmented the survey cruises. NOAA conducted boreal spring and fall sections east and west of 140°W from the R/V Baldrige and R/V Discoverer. Meteorological and sea surface observations were obtained from NOAA's in place TOGA-TAO buoy network.

The scientific objectives of this study were to determine the fluxes of carbon and related elements, and the processes controlling these fluxes between the Equatorial Pacific euphotic zone and the atmosphere and deep ocean. A broad overview of the program at the 140°W site is given by Murray et al. (Oceanography, 5: 134-142, 1992). A full description of the Equatorial Pacific Process Study, including the international context and the scientific results, appears in a series of Deep-Sea Research Part II special volumes:

Topical Studies in Oceanography, A U.S. JGOFS Process Study in the Equatorial Pacific (1995), Deep-Sea Research Part II, Volume 42, No. 2/3.

Topical Studies in Oceanography, A U.S. JGOFS Process Study in the Equatorial Pacific. Part 2 (1996), Deep-Sea Research Part II, Volume 43, No. 4/6.

Topical Studies in Oceanography, A U.S. JGOFS Process Study in the Equatorial Pacific (1997), Deep-Sea Research Part II, Volume 44, No. 9/10.

Topical Studies in Oceanography, The Equatorial Pacific JGOFS Synthesis (2002), Deep-Sea Research Part II, Volume 49, Nos. 13/14.

[[table of contents](#) | [back to top](#)]

Program Information

U.S. Joint Global Ocean Flux Study (U.S. JGOFS)

Website: <http://usjgofs.whoi.edu/>

Coverage: Global

The United States Joint Global Ocean Flux Study was a national component of international JGOFS and an integral part of global climate change research.

The U.S. launched the Joint Global Ocean Flux Study (JGOFS) in the late 1980s to study the ocean carbon cycle. An ambitious goal was set to understand the controls on the concentrations and fluxes of carbon and associated nutrients in the ocean. A new field of ocean biogeochemistry emerged with an emphasis on quality measurements of carbon system parameters and interdisciplinary field studies of the biological, chemical and physical process which control the ocean carbon cycle. As we studied ocean biogeochemistry, we learned that our simple views of carbon uptake and transport were severely limited, and a new "wave" of ocean science was born. U.S. JGOFS has been supported primarily by the U.S. National Science Foundation in collaboration with the National Oceanic and Atmospheric Administration, the National Aeronautics and Space Administration, the Department of Energy and the Office of Naval Research. U.S. JGOFS, ended in 2005 with the conclusion of the Synthesis and Modeling Project (SMP).

[[table of contents](#) | [back to top](#)]