Microplankton counts and carbon biomass from R/V Thomas G. Thompson cruises TT007, TT008, TT011, TT012 in the Equatorial Pacific in 1992 during the U.S. JGOFS Equatorial Pacific (EqPac) project

Website: https://www.bco-dmo.org/dataset/2662

Version: final

Version Date: 2002-12-11

Project

» <u>U.S. JGOFS Equatorial Pacific</u> (EqPac)

Program

» U.S. Joint Global Ocean Flux Study (U.S. JGOFS)

Contributors	Affiliation	Role
Stoecker, Diane	University of Maryland Center for Environmental Science (UMCES/HPL)	Principal Investigator
Chandler, Cynthia L.	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Table of Contents

- <u>Dataset Description</u>
 - Methods & Sampling
- Data Files
- <u>Parameters</u>
- Instruments
- Deployments
- Project Information
- Program Information

Dataset Description

Microplankton counts and carbon biomass

Methods & Sampling

See Platform deployments for cruise specific documentation

[table of contents | back to top]

Data Files

File

microplankton_TT007.csv(Comma Separated Values (.csv), 565 bytes) MD5:dd1efce9a55f452f58aeeb1e9079d097

version October 9, 2002 (original version 24 August 1995) (second version 24 May 2002 w/ bottle nums added)

PI: Diane Stoecker

of: University of Maryland, Horn Point Lab. dataset: microplankton counts and carbon biomass

project/cruise: EqPac/cruise TT007 ship: R/V Thomas Thompson

microplankton_TT008.csv (Comma Separated Values (.csv), 2.30 KB)

MD5:7c9efef2bc015786ea6e528210089641

MD5:/C9etet2bC015/86ea6e5282100896

version October 9, 2002 (original version 24 August 1995)

PI: Diane Stoecker

of: Univ. of Maryland, Horn Point Lab.

dataset: microplankton counts and carbon biomass

project/cruise: EqPac/cruise TT008 ship: R/V Thomas Thompson

Samples obtained by drawing a one liter sample of water from Niskin bottles. Samples preserved with 20% buffered formalin. Ciliate counts and carbon biomass corrected for cell loss during fixation.

microplankton_TT011.csv(Comma Separated Values (.csv), 758 bytes) MD5:2f2dd9b93392c181e4b0246facfa5630

version December 11, 2002 (previous version = June 26 2002, bottle nums added) (previous version = 24 August 1995)

PI: Diane Stoecker

of: Univ. of Maryland, Horn Point Lab.

dataset: microplankton counts and carbon biomass

project/cruise: EqPac/cruise TT011 ship: R/V Thomas Thompson

Samples obtained by drawing a one liter sample of water from Niskin bottles. Samples preserved with 20% buffered formalin. Ciliate counts and carbon biomass corrected for cell loss during fixation.

microplankton TT012.csv

(Comma Separated Values (.csv), 1.90 KB) MD5:6b20af0b392e4b09e6b51a77f7bf2e26

version October 9, 2002 (original version 24 August 1995)

PI: Diane Stoecker

of: Univ. of Maryland, Horn Point Lab.

dataset: microplankton counts and carbon biomass

project/cruise: EqPac/cruise TT012 ship: R/V Thomas Thompson

Samples obtained by drawing a one liter sample of water from Niskin bottles. Samples preserved with 20% buffered formalin. Ciliate counts and carbon biomass corrected for cell loss during fixation.

Parameters

Parameter	Description	Units
event	event number from event log	dimensionless
sta	station number from event log	dimensionless
cast	TM or CTD cast number from event log	dimensionless
bot	bottle number	dimensionless
depth_n	nominal depth of sample	meters
dino_het	counts of heterotrophic dinoflagellates	cells/liter
rad	counts of radiolarians	cells/liter
foram	counts of foraminiferans	cells/liter
ciliates	counts of ciliates	cells/liter
dino_het_C	carbon biomass, heterotrophic dinoflagellates	micrograms C/liter
rad_C	carbon biomass, radiolarian	nanograms C/liter
foram_C	carbon biomass, foraminiferan	nanograms C/liter
ciliates_C	carbon biomass, ciliates	nanograms C/liter

[table of contents | back to top]

Instruments

Dataset- specific Instrument Name	Niskin Bottle
Generic Instrument Name	Niskin bottle
Dataset- specific Description	CTD clean rosette (Niskin) bottles were used to collect water samples.
	A Niskin bottle (a next generation water sampler based on the Nansen bottle) is a cylindrical, non-metallic water collection device with stoppers at both ends. The bottles can be attached individually on a hydrowire or deployed in 12, 24, or 36 bottle Rosette systems mounted on a frame and combined with a CTD. Niskin bottles are used to collect discrete water samples for a range of measurements including pigments, nutrients, plankton, etc.

Dataset-specific Instrument Name	Trace Metal Bottle
Generic Instrument Name	Trace Metal Bottle
Dataset-specific Description	Trace metal (TM) clean rosette bottles were used to collect water samples.
Generic Instrument Description	Trace metal (TM) clean rosette bottle used for collecting trace metal clean seawater samples.

[table of contents | back to top]

Deployments

TT007

Website	https://www.bco-dmo.org/deployment/57728
Platform	R/V Thomas G. Thompson
Start Date	1992-01-30
End Date	1992-03-13
Description	Purpose: Spring Survey Cruise; 12°N-12°S at 140°W TT007 was one of five cruises conducted in 1992 in support of the U.S. Equatorial Pacific (EqPac) Process Study. The five EqPac cruises aboard R/V Thomas G. Thompson included two repeat meridional sections (12°N - 12°S), 2 equatorial surveys, and a benthic survey (all at 140° W). The scientific objectives of this study were to observe the processes in the Equatorial Pacific controlling the fluxes of carbon and related elements between the atmosphere, euphotic zone, and deep ocean. As luck would have it, the survey window coincided with an El Nino event. A bonus for the research team. Methods & Sampling Pl: Diane Stoecker of: Univ. of Maryland, Horn Point Marine Lab. dataset: Microplankton counts and carbon biomass, one liter samples dates: February 10, 1992 to March 09, 1992 location: N: 7.0147 S: -12.1193 W: -140.4469 E: -135.0121 project/cruise: EqPac/TT007 - Spring Survey ship: R/V Thomas Thompson Pl-Notes: Samples obtained by drawing a one liter sample of water from Niskin bottles. Samples preserved with 20% buffered formalin. Samples concentrated by sedimentation prior to microscopy. Ciliate counts and carbon biomass corrected for cell loss during fixation. All organism counts are for size class greater than 20

Website	https://www.bco-dmo.org/deployment/57729
Platform	R/V Thomas G. Thompson
Start Date	1992-03-19
End Date	1992-04-15
	Purpose: Spring Time Series; Equator, 140°W TT008 was one of five cruises conducted in 1992 in support of the U.S. Equatorial Pacific (EqPac) Process Study. The five EqPac cruises aboard R/V Thomas G. Thompson included two repeat meridional sections (12°N - 12°S), 2 equatorial surveys, and a benthic survey (all at 140° W). The scientific objectives of this study were to observe the processes in the Equatorial Pacific controlling the fluxes of carbon and related elements between the atmosphere, euphotic zone, and deep ocean. As luck would have it, the survey window coincided with an El Nino event. A bonus for the research team.
Description	Methods & Sampling PI: Diane Stoecker of: Univ. of Maryland, Horn Point Marine Lab. dataset: Microplankton counts and carbon biomass, one liter samples dates: March 22, 1992 to April 10, 1992 location: N: 2.0027 S: -1.95 W: -140.1902 E: -139.9798 project/cruise: EqPac/TT008 - Spring Time Series ship: R/V Thomas Thompson PI-Notes Samples obtained by drawing a one liter sample of water from Niskin bottles. Samples preserved with 20% buffered formalin. Samples concentrated by sedimentation prior to microscopy. Ciliate counts and carbon biomass corrected for cell loss during fixation. All organism counts are for size class greater than 20 microns.

TT011

11011	
Website	https://www.bco-dmo.org/deployment/57730
Platform	R/V Thomas G. Thompson
Start Date	1992-08-05
End Date	1992-09-18
	Purpose: Fall Survey; 12°N-12°S at 140°W TT011 was one of five cruises conducted in 1992 in support of the U.S. Equatorial Pacific (EqPac) Process Study. The five EqPac cruises aboard R/V Thomas G. Thompson included two repeat meridional sections (12°N - 12°S), 2 equatorial surveys, and a benthic survey (all at 140° W). The scientific objectives of this study were to observe the processes in the Equatorial Pacific controlling the fluxes of carbon and related elements between the atmosphere, euphotic zone, and deep ocean. As luck would have it, the survey window coincided with an El Nino event. A bonus for the research team.
Description	Methods & Sampling PI: Diane Stoecker of: Univ. of Maryland, Horn Point Marine Lab. dataset: Microplankton counts and carbon biomass, one liter samples dates: August 10, 1992 to September 13, 1992 location: N: 12.005 S: -11.9683 W: -140.5917 E: -134.9817 project/cruise: EqPac/TT011 - Fall Survey ship: R/V Thomas Thompson PI-Notes: Samples obtained by drawing a one liter sample of water from Niskin bottles. Samples preserved with 20% buffered formalin. Samples concentrated by sedimentation prior to microscopy. Ciliate counts and carbon biomass corrected for cell loss during fixation. All organism counts are for size class greater than 20 microns.

Website	https://www.bco-dmo.org/deployment/57731
Platform	R/V Thomas G. Thompson
Start Date	1992-09-24
End Date	1992-10-21
	Purpose: Fall Time Series; Equator, 140°W TT012 was one of five cruises conducted in 1992 in support of the U.S. Equatorial Pacific (EqPac) Process Study. The five EqPac cruises aboard R/V Thomas G. Thompson included two repeat meridional sections (12°N - 12°S), 2 equatorial surveys, and a benthic survey (all at 140° W). The scientific objectives of this study were to observe the processes in the Equatorial Pacific controlling the fluxes of carbon and related elements between the atmosphere, euphotic zone, and deep ocean. As luck would have it, the survey window coincided with an El Nino event. A bonus for the research team.
Description	Methods & Sampling PI: Diane Stoecker of: Univ. of Maryland, Horn Point Lab. dataset: Microplankton counts and carbon biomass, one liter samples dates: October 02, 1992 to October 20, 1992 location: N: 0.013 S: -0.007 W: -140.1523 E: -139.9753 project/cruise: EqPac/TT012 - Fall Time Series ship: R/V Thomas Thompson PI-Notes: Samples obtained by drawing a one liter sample of water from Niskin bottles. Samples preserved with 20% buffered formalin. Samples concentrated by sedimentation prior to microscopy. Ciliate counts and carbon biomass corrected for cell loss during fixation. All organism counts are for size class greater than 20 microns.

[table of contents | back to top]

Project Information

U.S. JGOFS Equatorial Pacific (EqPac)

Website: http://usigofs.whoi.edu/research/egpac.html

Coverage: Equatorial Pacific

The U.S. EqPac process study consisted of repeat meridional sections (12°N -12°S) across the equator in the central and eastern equatorial Pacific from 95°W to 170°W during 1992. The major scientific program was focused at 140° W consisting of two meridional surveys, two equatorial surveys, and a benthic survey aboard the R/V Thomas Thompson. Long-term deployments of current meter and sediment trap arrays augmented the survey cruises. NOAA conducted boreal spring and fall sections east and west of 140°W from the R/V Baldridge and R/V Discoverer. Meteorological and sea surface observations were obtained from NOAA's in place TOGA-TAO buoy network.

The scientific objectives of this study were to determine the fluxes of carbon and related elements, and the processes controlling these fluxes between the Equatorial Pacific euphotic zone and the atmosphere and deep ocean. A broad overview of the program at the 140°W site is given by Murray et al. (Oceanography, 5: 134-142, 1992). A full description of the Equatorial Pacific Process Study, including the international context and the scientific results, appears in a series of Deep-Sea Research Part II special volumes:

Topical Studies in Oceanography, A U.S. JGOFS Process Study in the Equatorial Pacific (1995), Deep-Sea Research Part II, Volume 42, No. 2/3.

Topical Studies in Oceanography, A U.S. JGOFS Process Study in the Equatorial Pacific. Part 2 (1996), Deep-Sea Research Part II, Volume 43, No. 4/6.

Topical Studies in Oceanography, A U.S. JGOFS Process Study in the Equatorial Pacific (1997), Deep-Sea Research Part II, Volume 44, No. 9/10.

Topical Studies in Oceanography, The Equatorial Pacific JGOFS Synthesis (2002), Deep-Sea Research Part II, Volume 49, Nos. 13/14.

Program Information

U.S. Joint Global Ocean Flux Study (U.S. JGOFS)

Website: http://usjgofs.whoi.edu/

Coverage: Global

The United States Joint Global Ocean Flux Study was a national component of international JGOFS and an integral part of global climate change research.

The U.S. launched the Joint Global Ocean Flux Study (JGOFS) in the late 1980s to study the ocean carbon cycle. An ambitious goal was set to understand the controls on the concentrations and fluxes of carbon and associated nutrients in the ocean. A new field of ocean biogeochemistry emerged with an emphasis on quality measurements of carbon system parameters and interdisciplinary field studies of the biological, chemical and physical process which control the ocean carbon cycle. As we studied ocean biogeochemistry, we learned that our simple views of carbon uptake and transport were severely limited, and a new "wave" of ocean science was born. U.S. JGOFS has been supported primarily by the U.S. National Science Foundation in collaboration with the National Oceanic and Atmospheric Administration, the National Aeronautics and Space Administration, the Department of Energy and the Office of Naval Research. U.S. JGOFS, ended in 2005 with the conclusion of the Synthesis and Modeling Project (SMP).

[table of contents | back to top]