

Net and gross oxygen production from R/V Thomas G. Thompson cruises TT008, TT012 in the Equatorial Pacific in 1992 during the U.S. JGOFS Equatorial Pacific (EqPac) project

Website: <https://www.bco-dmo.org/dataset/2676>

Version: May 27, 1994

Version Date: 1994-05-27

Project

» [U.S. JGOFS Equatorial Pacific](#) (EqPac)

Program

» [U.S. Joint Global Ocean Flux Study](#) (U.S. JGOFS)

Contributors	Affiliation	Role
Bender, Michael L.	Princeton University	Principal Investigator
Chandler, Cynthia L.	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Table of Contents

- [Dataset Description](#)
 - [Methods & Sampling](#)
- [Data Files](#)
- [Parameters](#)
- [Instruments](#)
- [Deployments](#)
- [Project Information](#)
- [Program Information](#)

Dataset Description

Net and gross oxygen production

Methods & Sampling

See Platform deployments for cruise specific documentation

[[table of contents](#) | [back to top](#)]

Data Files

File

ox18_TT008.csv (Comma Separated Values (.csv), 2.95 KB)

MD5:0c41fc9a118f698eb888531e438e64ff

version = May 27, 1994
Mike Bender, Univ. of Rhode Island
Net & gross oxygen production
Thomas Thompson cruise TT008
Net and gross oxygen production data are integrated to the 5% light level
(millimoles/m²/24 hours).

Integrated values are reported only for "in situ" incubations during TT008. Shipboard incubation data are included without integrated values. We feel that due to a lack of adequate incubator temperature control our shipboard data during TT008 are not reliable.

sta = station number from event log
cast = TM cast number from event log, note: for cast 47, samples drawn from CTD cast 47
event = event/operation number from event log
O2_net_int_prod = net oxygen production integrated to the 5% light level, units = millimoles/m²/24 hrs
O2_gross_int_prod = gross oxygen production integrated to the 5% light level, units = millimoles/m²/24 hrs
depth = sample depth
O2_net = net oxygen production, units = micromoles/liter/24 hrs
net_std_error = standard error in net oxygen production, units = micromoles/liter/24 hrs
O2_gross = gross oxygen production, units = micromoles/liter/24 hrs
gross_std_error = standard error in gross oxygen production, units = micromoles/liter/24 hrs
nd = missing data

ox18_TT012.csv (Comma Separated Values (.csv), 2.51 KB)

MD5:c02d8a5dd404592bd75eb94fd95447d3

version = May 27, 1994
Mike Bender, Univ. of Rhode Island
Net & gross oxygen production
Thomas Thompson cruise TT012
Net and gross oxygen production data are integrated to the 5% light level
(millimoles/m²/24 hours).

All data from TT012 are from "in situ" incubations.

sta = station number from event log
cast = TM cast number from event log
event = event/operation number from event log
O2_net_int_prod = net oxygen production integrated to the 5% light level, units = millimoles/m²/24 hrs
O2_gross_int_prod = gross oxygen production integrated to the 5% light level, units = millimoles/m²/24 hrs
depth = sample depth
O2_net = net oxygen production, units = micromoles/liter/24 hrs
net_std_error = standard error in net oxygen production, units = micromoles/liter/24 hrs
O2_gross = gross oxygen production, units = micromoles/liter/24 hrs
gross_std_error = standard error in gross oxygen production, units = micromoles/liter/24 hrs
nd = missing data

[[table of contents](#) | [back to top](#)]

Parameters

Parameter	Description	Units
sta	station number from event log	
cast	TM cast number	
event	event/operation number from event log	
O2_net_int_prod	net oxygen production integrated to the 5% light level	millimoles/m2/day
O2_gross_int_prod	gross oxygen production integrated to the 5% light level	millimoles/m2/day
depth	sample depth	meters
O2_net	net oxygen production	micromoles/liter/day
net_std_error	standard error in net oxygen production	micromoles/liter/day
O2_gross	gross oxygen production	micromoles/liter/day
gross_std_error	standard error in gross oxygen production	micromoles/liter/day

[[table of contents](#) | [back to top](#)]

Instruments

Dataset-specific Instrument Name	Trace Metal Bottle
Generic Instrument Name	Trace Metal Bottle
Dataset-specific Description	Trace metal (TM) clean rosette bottles were used to collect water samples.
Generic Instrument Description	Trace metal (TM) clean rosette bottle used for collecting trace metal clean seawater samples.

[[table of contents](#) | [back to top](#)]

Deployments

TT008

Website	https://www.bco-dmo.org/deployment/57729
Platform	R/V Thomas G. Thompson
Start Date	1992-03-19
End Date	1992-04-15
Description	<p>Purpose: Spring Time Series; Equator, 140°W TT008 was one of five cruises conducted in 1992 in support of the U.S. Equatorial Pacific (EqPac) Process Study. The five EqPac cruises aboard R/V Thomas G. Thompson included two repeat meridional sections (12°N - 12°S), 2 equatorial surveys, and a benthic survey (all at 140° W). The scientific objectives of this study were to observe the processes in the Equatorial Pacific controlling the fluxes of carbon and related elements between the atmosphere, euphotic zone, and deep ocean. As luck would have it, the survey window coincided with an El Nino event. A bonus for the research team.</p> <p>Methods & Sampling PI: Michael Bender of: University of Rhode Island dataset: Net & gross oxygen production dates: March 23, 1992 to April 09, 1992 location: N: 0.0097 S: -0.1227 W: -140.0452 E: -139.9157 project/cruise: EQPAC/TT008 - Spring Time Series ship: Thomas Thompson Net and gross oxygen production data are integrated to the 5% light level (millimoles/m²/24 hours). Integrated values are reported only for "in situ" incubations during TT008. Shipboard incubation data are included without integrated values. We feel that due to a lack of adequate incubator temperature control our shipboard data during TT008 are not reliable.</p>

TT012

Website	https://www.bco-dmo.org/deployment/57731
Platform	R/V Thomas G. Thompson
Start Date	1992-09-24
End Date	1992-10-21
Description	<p>Purpose: Fall Time Series; Equator, 140°W TT012 was one of five cruises conducted in 1992 in support of the U.S. Equatorial Pacific (EqPac) Process Study. The five EqPac cruises aboard R/V Thomas G. Thompson included two repeat meridional sections (12°N - 12°S), 2 equatorial surveys, and a benthic survey (all at 140° W). The scientific objectives of this study were to observe the processes in the Equatorial Pacific controlling the fluxes of carbon and related elements between the atmosphere, euphotic zone, and deep ocean. As luck would have it, the survey window coincided with an El Nino event. A bonus for the research team.</p> <p>Methods & Sampling PI: Michael Bender of: University of Rhode Island dataset: Net & gross oxygen production dates: October 02, 1992 to October 20, 1992 location: N: 0.0402 S: -0.0098 W: -140.127 E: -139.8687 project/cruise: EQPAC/TT012 - Fall Time Series ship: Thomas Thompson Net and gross oxygen production data are integrated to the 5% light level (millimoles/m²/24 hours). All data from TT012 are from "in situ" incubations.</p>

[[table of contents](#) | [back to top](#)]

Project Information

U.S. JGOFS Equatorial Pacific (EqPac)

Website: <http://usjgofs.whoi.edu/research/eqpac.html>

Coverage: Equatorial Pacific

The U.S. EqPac process study consisted of repeat meridional sections (12°N -12°S) across the equator in the

central and eastern equatorial Pacific from 95°W to 170°W during 1992. The major scientific program was focused at 140° W consisting of two meridional surveys, two equatorial surveys, and a benthic survey aboard the R/V Thomas Thompson. Long-term deployments of current meter and sediment trap arrays augmented the survey cruises. NOAA conducted boreal spring and fall sections east and west of 140°W from the R/V Baldrige and R/V Discoverer. Meteorological and sea surface observations were obtained from NOAA's in place TOGA-TAO buoy network.

The scientific objectives of this study were to determine the fluxes of carbon and related elements, and the processes controlling these fluxes between the Equatorial Pacific euphotic zone and the atmosphere and deep ocean. A broad overview of the program at the 140°W site is given by Murray et al. (*Oceanography*, 5: 134-142, 1992). A full description of the Equatorial Pacific Process Study, including the international context and the scientific results, appears in a series of Deep-Sea Research Part II special volumes:

Topical Studies in Oceanography, A U.S. JGOFS Process Study in the Equatorial Pacific (1995), Deep-Sea Research Part II, Volume 42, No. 2/3.

Topical Studies in Oceanography, A U.S. JGOFS Process Study in the Equatorial Pacific. Part 2 (1996), Deep-Sea Research Part II, Volume 43, No. 4/6.

Topical Studies in Oceanography, A U.S. JGOFS Process Study in the Equatorial Pacific (1997), Deep-Sea Research Part II, Volume 44, No. 9/10.

Topical Studies in Oceanography, The Equatorial Pacific JGOFS Synthesis (2002), Deep-Sea Research Part II, Volume 49, Nos. 13/14.

[[table of contents](#) | [back to top](#)]

Program Information

U.S. Joint Global Ocean Flux Study (U.S. JGOFS)

Website: <http://usjgofs.whoi.edu/>

Coverage: Global

The United States Joint Global Ocean Flux Study was a national component of international JGOFS and an integral part of global climate change research.

The U.S. launched the Joint Global Ocean Flux Study (JGOFS) in the late 1980s to study the ocean carbon cycle. An ambitious goal was set to understand the controls on the concentrations and fluxes of carbon and associated nutrients in the ocean. A new field of ocean biogeochemistry emerged with an emphasis on quality measurements of carbon system parameters and interdisciplinary field studies of the biological, chemical and physical process which control the ocean carbon cycle. As we studied ocean biogeochemistry, we learned that our simple views of carbon uptake and transport were severely limited, and a new "wave" of ocean science was born. U.S. JGOFS has been supported primarily by the U.S. National Science Foundation in collaboration with the National Oceanic and Atmospheric Administration, the National Aeronautics and Space Administration, the Department of Energy and the Office of Naval Research. U.S. JGOFS, ended in 2005 with the conclusion of the Synthesis and Modeling Project (SMP).

[[table of contents](#) | [back to top](#)]