

Cruise track data from ship underway data acquisition system from cruises KN193-03, B4-2008, B9-2008, and B10-2008 in the subpolar North Atlantic and Iceland Basin in 2008 (NAB 2008 project)

Website: <https://www.bco-dmo.org/dataset/3385>

Data Type: Cruise Results

Version: 7 January 2011

Version Date: 2011-01-07

Project

» [North Atlantic Bloom Experiment 2008](#) (NAB 2008)

Program

» [Ocean Carbon and Biogeochemistry](#) (OCB)

Contributors	Affiliation	Role
D'Asaro, Eric	University of Washington Applied Physics Laboratory (UW APL)	Principal Investigator
Perry, Mary Jane	University of Maine (U Maine DMC)	Principal Investigator
Lee, Craig M.	University of Washington (UW)	Co-Principal Investigator, Co-Principal Investigator
McKee, Theresa	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Table of Contents

- [Coverage](#)
- [Dataset Description](#)
- [Data Files](#)
- [Parameters](#)
- [Instruments](#)
- [Deployments](#)
- [Project Information](#)
- [Program Information](#)
- [Funding](#)

Coverage

Spatial Extent: N:64.196 E:-20.177 S:58.6227 W:-27.64875

Temporal Extent: 2008-04-01 - 2008-07-01

Dataset Description

Cruise Tracks (time and position) recorded by Global Positioning System.

[[table of contents](#) | [back to top](#)]

Data Files

File
cruiseTrack.csv (Comma Separated Values (.csv), 1.10 MB) MD5:266e756b190c8702c6d8080aab51fbba
Primary data file for dataset ID 3385

[[table of contents](#) | [back to top](#)]

Parameters

Parameter	Description	Units
Cruise_ID	Cruise_ID	dimensionless
date	date (UTC) as YYYYMMDD	dimensionless
time	time (UTC) as HHMM	dimensionless
latitude	latitude (positive is North)	decimal degrees
longitude	longitude (negative is West)	decimal degrees
seafloor	depth of water as reported by ship's 12 KHz Knudsen echosounder	meters
julian_day_yr0	year day	dimensionless

[[table of contents](#) | [back to top](#)]

Instruments

Dataset-specific Instrument Name	Echo sounder - single-beam
Generic Instrument Name	Echo sounder - single-beam
Dataset-specific Description	Knudsen Engineering Model 320BR sub-bottom profiler, echosounder operating at 12 kHz
Generic Instrument Description	A single-beam echo sounder is an instrument that measures water depth at a single point below the platform by timing pulses of sound reflected on the seafloor. The echo sounder transmits and receives sound, accurately measuring the time it takes to leave the sounder, reach the bottom and return to the sounder. It then converts this information into digital or graphic representations of the bottom depth and relief. The average echo sounder consists of a transmission and reception unit that sends sound signals through the water, receives and decodes information and converts that information into either a graphic or visual form. Attached to the receiver is a transducer that acts as a microphone and a speaker under the water. Sound waves travel at approximately 1500 m/s through the water dependent on water temperature". more from LMS Technologies

Dataset-specific Instrument Name	Global Positioning System Receiver
Generic Instrument Name	Global Positioning System Receiver
Dataset-specific Description	C-Nav Real Time Gypsy (RTG) GPS Northstar 941XD GPS with differential capability Trimble Tasman P(Y) P-Code GPS (2) Furuno GP-90D WAAS/dGPS Furuno GP1850-WD WAAS/dGPS
Generic Instrument Description	The Global Positioning System (GPS) is a U.S. space-based radionavigation system that provides reliable positioning, navigation, and timing services to civilian users on a continuous worldwide basis. The U.S. Air Force develops, maintains, and operates the space and control segments of the NAVSTAR GPS transmitter system. Ships use a variety of receivers (e.g. Trimble and Ashtech) to interpret the GPS signal and determine accurate latitude and longitude.

[[table of contents](#) | [back to top](#)]

Deployments

KN193-03

Website	https://www.bco-dmo.org/deployment/58153
Platform	R/V Knorr
Start Date	2008-05-01
End Date	2008-05-22
Description	<p>A three-week process cruise on the R/V Knorr operated in the vicinity of five autonomous platforms that had been deployed in early April by another vessel. A total of 10 simultaneous float and CTD calibration profiles were taken to calibrate sensors on the Lagrangian mixed layer float (Biofloat 48) and to validate proxy measurements (i.e., optical attenuation to particulate organic carbon, etc.). One simultaneous Seaglider and CTD calibration profile was collected for each of the four Seagliders. Knorr also carried out a number of bow-tie surveys around the Lagrangian mixed layer float. A second float, Biofloat 47, had ceased functioning shortly after deployment was rescued at the beginning of the cruise. Two SOLOPC floats were deployed but were damaged on deployment and sank. A number of successful short deployments of PELAGRA floats were made during the cruise. Core ship-board measurements supported by project funding were: 1) CTD profiles (temperature, conductivity, oxygen, chlorophyll fluorescence, optical backscatter, and beam transmission) on all four cruises; 133 CTD profiles were obtained on this cruise. 2) analysis of water samples collected with the CTD Rosette (chlorophyll, HPLC pigments, nutrients, particulate organic carbon, particulate absorption spectrum, phytoplankton, oxygen and other guest investigator measurements). Original cruise data are available from the NSF R2R data catalog Science personnel: Mary Jane Perry, University of Maine, Chief Scientist Witold Bagniewsk, University of Maine Nicole Bale, Plymouth Laboratory, UK Nathan Briggs, University of Maine David Checkley, Scripps Institution of Oceanography Giorgio Dall'Olmo, Oregon State University Andrea Drzewianowski, University of Maine Amanda Gray, University of Washington Jennifer Fortier, University of Maine Alba Gonzalez-Posada, University of East Anglia, UK Emily Kallin, University of Maine Kristinn Gudmundsson, Marine Research Institute, Reykjavik, Iceland Richard Lampitt, National Oceanography Centre, South Hampton, UK Patrick Martin, National Oceanography Centre, South Hampton, UK Maren Moltke Lyngsgaard, University of Copenhagen, Denmark Nicole Poulton, Bigelow Laboratory Eric Rehm, University of Washington Katherine Richardson, University of Copenhagen, Denmark Ryan Rykaczewski, Scripps Institution of Oceanography Michael Sauer, University of Maine Richard Sawyer, National Oceanography Centre, South Hampton, UK Michael Sieracki, Bigelow Laboratory Tatiana Rynearson, University of Rhode Island Toby Westberry, Oregon State University Dane Wojcicki, University of Maine Lin Zhang, University of Rhode Island</p> <p>Processing Description The cruise track data set for cruise KN193-03 was extracted from the daily .csv files by BCO-DMO using a custom perl script. The original .csv files generated from the R/V Knorr shipboard underway data acquisition system were retrieved from the standard post-cruise data distribution.</p>

B10-2008

Website	https://www.bco-dmo.org/deployment/58146
Platform	R/V Bjarni Saemundsson
Start Date	2008-06-25
End Date	2008-07-01
Description	<p>Recovery cruise: R/S Bjarni Saemundsson departed 25 June 2008 0930 from Reykjavik to recover Seagliders 140, 141, 142. Before the ship departed port, SG 142 stopped communicating; hence, a survey pattern was carried out to acoustically ping for the glider but was unsuccessful in locating it. CTD casts were made (n=12) and bottles samples collected for calibration of SG 140 and 141 before they were recovered. The ship steamed to near the original deployment site (59.02°N, -20.49°W) on 29 June 2008 to deploy two bio-optical ARGO floats for Dr. H. Claustre, LOV, France. R/S Bjarni Saemundsson returned to Reykjavik on 1 July 2008.</p> <p>Methods & Sampling The cruise track dataset for cruise B10-2008 was extracted from .ascii files generated by National Instruments LabView program; created for the purpose of recording and merging outputs from different components of the underway system aboard R/V Bjarni Saemundsson.</p> <p>Processing Description Date and time computed from Julian year day (day 1 = January 1, 0000.)</p>

B9-2008

Website	https://www.bco-dmo.org/deployment/58152
Platform	R/V Bjarni Saemundsson
Start Date	2008-06-02
End Date	2008-06-06
Description	<p>Rescue cruise: R/S Bjarni Saemundsson departed 2 June 2008 2030 from Reykjavik to recover Float 48 and Seaglider 143. Ten CTD casts were made and bottles samples collected for calibration of remaining Seagliders before departing study area. R/S Bjarni Saemundsson returned to Reykjavik on 6 June 2008.</p> <p>Methods & Sampling The cruise track dataset for cruise B9-2008 was extracted from .ascii files generated by National Instruments LabView program; created for the purpose of recording and merging outputs from different components of the underway system aboard R/V Bjarni Saemundsson.</p> <p>Processing Description Date and time computed from Julian year day (day 1 = January 1, 0000.)</p>

B4-2008

Website	https://www.bco-dmo.org/deployment/58145
Platform	R/V Bjarni Saemundsson
Start Date	2008-04-01
End Date	2008-04-06
Description	<p>Deployment cruise: R/S Bjarni Saemundsson departed 1 April 2008 10:00 from Reykjavik to deploy 2 floats (Biofloat 47 and 48 and 4 Seagliders (SG 140, 141, 142, 143); these were all successfully deployed on 4 April 2008. Biofloat 47 failed within a few weeks of deployment; therefore its data are not reported. CTD profiles (n=9) and water samples were collected before and after the autonomous platform deployment. R/S Bjarni Saemundsson returned to Reykjavik on 6 April 2008.</p> <p>Methods & Sampling The cruise track dataset for cruise B4-2008 was extracted from .ascii files generated by National Instruments LabView program; created for the purpose of recording and merging outputs from different components of the underway system aboard R/V Bjarni Saemundsson.</p> <p>Processing Description Date and time computed from Julian year day (day 1 = January 1, 0000.)</p>

[[table of contents](#) | [back to top](#)]

Project Information

North Atlantic Bloom Experiment 2008 (NAB 2008)

Coverage: North Atlantic, 60 ° North

NAB2008 was a process experiment designed to study an important component of the oceanic carbon system - the North Atlantic spring bloom. The phytoplankton bloom occurring each spring in the North Atlantic, drives the uptake of carbon dioxide and is an important component of the biological pump (Bagniewski et al., 2010). Previous studies in this region have shown the importance of small temporal and spatial scales, i.e. ecosystem patchiness, during the bloom, but were restricted by the limitations of ship-based sampling. Recent advances in autonomous platforms and sensors presented an opportunity to study this important event in a new way. In addition to deployment of a diverse suite of *in situ* sampling devices, NAB2008 was also a test-bed for developing the strategies and knowledge needed to successfully use new methods to drive the next generation of ocean observations.


In 2008, a coordinated deployment of 1 float, 4 Seagliders and 2 research vessels sampled the evolution of the North Atlantic spring bloom along and surrounding the nearly Lagrangian path followed by the float. The autonomous measurements were continuous through the experimental period, and included CTD, chlorophyll fluorescence, optical backscatter, and oxygen on all platforms; and nitrate, optical attenuation, and various radiance measurements on the float. Velocities were determined from the vehicle motion, with the float extending to a depth of 230 meters and gliders to 1,000 meters. The autonomous vehicles were deployed, rescued, and recovered on three cruises of the Icelandic vessel Bjarni Saemundsson. A 21-day cruise of the R/V Knorr conducted more detailed measurements during the peak of the bloom in May. The R/V Knorr sampling program included optical profiles, ADCP data and analysis of water samples for nutrients, particulate organic carbon, pigments, micro-plankton composition, complemented by guest investigator analyses. Data from both ships were used to calibrate and validate the autonomous measurements.

References:

Bagniewski, W., Fennel, K., Perry, M. J., and D'Asaro, E. A. (2010) Optimizing models of the North Atlantic spring bloom using physical, chemical and bio-optical observations from a Lagrangian float, *Biogeosciences Discuss.*, 7, pp. 8477-8520, doi:10.5194/bgd-7-8477-2010

[NAB08 preprints](#)

Click on image to view full size



[[table of contents](#) | [back to top](#)]

Program Information

Ocean Carbon and Biogeochemistry (OCB)

Website: <http://us-ocb.org/>

Coverage: Global

The Ocean Carbon and Biogeochemistry (OCB) program focuses on the ocean's role as a component of the global Earth system, bringing together research in geochemistry, ocean physics, and ecology that inform on and advance our understanding of ocean biogeochemistry. The overall program goals are to promote, plan, and coordinate collaborative, multidisciplinary research opportunities within the U.S. research community and with international partners. Important OCB-related activities currently include: the Ocean Carbon and Climate Change (OCCC) and the North American Carbon Program (NACP); U.S. contributions to IMBER, SOLAS, CARBOOCEAN; and numerous U.S. single-investigator and medium-size research projects funded by U.S. federal agencies including NASA, NOAA, and NSF.

The scientific mission of OCB is to study the evolving role of the ocean in the global carbon cycle, in the face of environmental variability and change through studies of marine biogeochemical cycles and associated ecosystems.

The overarching OCB science themes include improved understanding and prediction of: 1) oceanic uptake and release of atmospheric CO₂ and other greenhouse gases and 2) environmental sensitivities of biogeochemical cycles, marine ecosystems, and interactions between the two.

The OCB Research Priorities (updated January 2012) include: ocean acidification; terrestrial/coastal carbon fluxes and exchanges; climate sensitivities of and change in ecosystem structure and associated impacts on biogeochemical cycles; mesopelagic ecological and biogeochemical interactions; benthic-pelagic feedbacks on biogeochemical cycles; ocean carbon uptake and storage; and expanding low-oxygen conditions in the coastal and open oceans.

[[table of contents](#) | [back to top](#)]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-0628379

[[table of contents](#) | [back to top](#)]