

# Coral and algae calcification rates in varying carbonate regimes collected from the Richard B Gump Research Station during 2011, from Moorea, French Polynesia (MCR LTER project, OA\_Corals project)

**Website:** <https://www.bco-dmo.org/dataset/3788>  
**Data Type:** experimental  
**Version:**  
**Version Date:** 2012-11-22

**Project**  
» [Moorea Coral Reef Long-Term Ecological Research site](#) (MCR LTER)  
» [RUI: Ocean Acidification- Category 1- The effects of ocean acidification on the organismic biology and community ecology of corals, calcified algae, and coral reefs](#) (OA\_Corals)

**Programs**  
» [Long Term Ecological Research network](#) (LTER)  
» [Science, Engineering and Education for Sustainability NSF-Wide Investment \(SEES\): Ocean Acidification \(formerly CRI-OA\)](#) (SEES-OA)

| Contributors                      | Affiliation   | Role                 |
|-----------------------------------|---|----------------------|
| <a href="#">Carpenter, Robert</a> | California State University Northridge (CSUN)       | Chief Scientist      |
| <a href="#">Edmunds, Peter J.</a> | California State University Northridge (CSUN)       | Co-Chief Scientist   |
| <a href="#">Comeau, Steeve</a>    | California State University Northridge (CSUN)       | Contact              |
| <a href="#">Kinkade, Danie</a>    | Woods Hole Oceanographic Institution (WHOI BCO-DMO) | BCO-DMO Data Manager |

## Table of Contents

- [Dataset Description](#)
  - [Methods & Sampling](#)
  - [Data Processing Description](#)
- [Data Files](#)
- [Parameters](#)
- [Deployments](#)
- [Project Information](#)
- [Program Information](#)
- [Funding](#)

## Dataset Description

Light and dark calcification rates for the coral *Porites rus* and alga *Hydrolithon onkodes* in varying carbonate chemistry conditions. These data are part of experiments performed during July/August 2011 in French Polynesia to test the effect of various concentrations of carbonate and bicarbonate ions on the calcification of a coral and a calcifying alga.

### Related References:

Comeau, S., Carpenter, R. C., & Edmunds, P. J. (2013). Coral reef calcifiers buffer their response to ocean acidification using both bicarbonate and carbonate. Proceedings of the Royal Society B: Biological Sciences, 280(1753), 20122374. doi:10.1098/rspb.2012.2374

### Related datasets:

[algae calcification](#)  
[coral calcification](#)  
[carbonate chemistry](#)  
[mean calcification](#)  
[calcification rates - flume expt](#)  
[carbonate chemistry - flume expt](#)

## Methods & Sampling

For light and dark calcification experiments, two to three subsamples (one coral and one piece of Crustose Coralline Algae (CCA) ) from each treatment were chosen randomly at 12:00 on days 5 and 7 of the incubation, for each of the two-week trials. Samples were placed in separate 500-mL glass beakers containing 320 mL of seawater from the respective incubation tanks. As the incubations lasted 1 h, it was assumed that the variation in total alkalinity (measured before and at the end of the incubation) was due to calcification/dissolution. The stoichiometric relation of 2 moles total alkalinity ( $A_T$ ) being removed for each 1 mole of  $CaCO_3$  precipitated was used to calculate calcification both in the light and the dark.

## Data Processing Description

### BCO-DMO Processing Notes:

Original data file: "Raw\_data\_Comeau\_et\_al\_PRSB-1.xls" contained three spreadsheets. This file was split into three separate datasets. Resultant datasets were edited in excel by BCO-DMO. The following edits were made to the file light\_dark\_calcification.dat:

- Added BCO-DMO header
  - edited 'Porites rus Light' to 'calcification\_light\_Porites\_rus'
  - edited 'Porites rus dark calcification' to 'calcif\_dark\_Porites\_rus'
  - edited 'Hydrolithon onkodes Light calcification' to 'calcif\_light\_Hydrolithon\_onkodes'
  - edited 'Hydrolithon onkodes dark calcification' to 'calcif\_dark\_Hydrolithon\_onkodes'
  - replaced spaces in 'condition' text with underscores.
- Added 'lat' and 'lon' column of experiment site (Richard B. Gump Research Site, Moorea) to file
- Added title, version and PI lines

-Added deployment ID column 'deploy\_id' with "lab\_Carpenter\_Moorea" as a value

2012.12.07 Data contact S. Comeau submitted a revised file for light\_dark\_calcification which included dates. Dates were edited into 'year', 'month\_local', 'day\_local' components.

[ [table of contents](#) | [back to top](#) ]

## Data Files

| File   |
|--|
| <b>light_dark_calcification.csv</b> (Comma Separated Values (.csv), 4.69 KB)<br>MD5:6e0e09bc854c0f6581076a9cdd69a945 |
| Primary data file for dataset ID 3788  |

## Parameters

| Parameter                        | Description  | Units  |
|----------------------------------|--|--|
| condition                        | Experimental treatment of various concentrations of carbonate and bicarbonate ions used to test the effects of various carbonate chemistry regimes on coral and calcifying alga. | dimensionless                                      |
| calcif_light_Porites_rus         | Calcification rates during a 1 hour light incubation for the coral <i>Porites rus</i> under varying carbonate chemistry conditions.  | micrograms<br>CaCO <sub>3</sub> /h/cm <sup>2</sup> |
| calcif_dark_Porites_rus          | Calcification rates during a 1 hour dark incubation for the coral <i>Porites rus</i> under varying carbonate chemistry conditions.   | micrograms<br>CaCO <sub>3</sub> /h/cm <sup>2</sup> |
| calcif_light_Hydrolithon_onkodes | Calcification rates during a 1 hour light incubation for the coral <i>Hydrolithon onkodes</i> under varying carbonate chemistry conditions.                                      | micrograms<br>CaCO <sub>3</sub> /h/cm <sup>2</sup> |
| calcif_dark_Hydrolithon_onkodes  | Calcification rates during a 1 hour dark incubation for the coral <i>Hydrolithon onkodes</i> under varying carbonate chemistry conditions.                                       | micrograms<br>CaCO <sub>3</sub> /h/cm <sup>2</sup> |
| year                             | Four-digit year in which experiments were conducted.   | YYYY   |
| month_local                      | Month in which experiments were conducted in local time.   |  |
| day_local                        | Day of the month in which experiments were conducted, in local time.   |  |
| deploy_id                        | Unique descriptor for experiments, indicating physical location where they were conducted (lab), lead investigator and lab location.   | dimensionless                                      |

## Deployments

### lab\_Carpenter\_Moorea

|                    |  |
|--------------------|--|
| <b>Website</b>     | <a href="https://www.bco-dmo.org/deployment/58885">https://www.bco-dmo.org/deployment/58885</a>  |
| <b>Platform</b>    | Richard B Gump Research Station - Moorea LTER  |
| <b>Start Date</b>  | 2011-07-17   |
| <b>End Date</b>    | 2011-08-12   |
| <b>Description</b> | Laboratory experiments carried out by R. Carpenter and P. Edmunds of California State University Northridge at the Richard B. Gump Research Station in French Polynesia, for the project "RUI: Ocean Acidification- Category 1- The effects of ocean acidification on the organismic biology and community ecology of corals, calcified algae, and coral reefs". |

## Project Information

### Moorea Coral Reef Long-Term Ecological Research site (MCR LTER)

**Website:** <http://mcr.lternet.edu/>

**Coverage:** Island of Moorea, French Polynesia

### NSF Award Abstract:

Coral reefs provide important benefits to society, from food to exceptional biodiversity to shoreline protection and recreation, but they are threatened by natural perturbations and human activities, including those causing global-scale changes. These pressures increasingly are causing coral reefs to undergo large, often abrupt, ecological changes where corals are being replaced by seaweeds or other undesirable organisms. Historically, the major agent of disturbance to coral reefs has been powerful storms, but in recent decades, episodes of mass coral bleaching from marine heat waves have become more frequent and severe as the temperature of ocean surface waters continues to rise. Coral reefs are further stressed by local human activities that cause nutrient pollution and deplete herbivorous fishes that control growth of seaweeds. Studying how coral reefs respond to these two types of disturbance under different levels of nutrient pollution and fishing provides essential information on what affects the ability of coral reefs to buffer environmental change and disturbances without collapsing to a persistent, degraded condition. The fundamental goals of the Moorea Coral Reef Long Term Ecological Research program (MCR LTER) are to understand how and why coral reefs change over time, to assess the consequences of these changes, and to contribute scientific knowledge needed to sustain coral reef ecosystems and the important societal services they provide. This research improves understanding and management of coral reefs, which benefits all groups concerned with the welfare of this ecologically, economically and culturally important ecosystem. In addition to academic communities, scientific findings are communicated to interested individuals, non-governmental organizations, island communities and governmental entities. These findings also are integrated into K-12, undergraduate, graduate and public education activities through a multi-pronged program that includes inquiry-based curricula, interactive and media-based public education programs, and internet-based resources. MCR's research, training, education and outreach efforts all emphasize broadening participation in STEM fields and strengthening STEM literacy.

New research activities build on MCR LTER's powerful foundation of long-term observations and broad ecological understanding of oceanic coral reefs to address the following core issues: How is the changing disturbance regime (recurrent heat waves in addition to cyclonic storms) altering the resilience of coral reefs, and what are the ecological consequences of altered resilience? Research activities are organized around a unifying framework that explicitly addresses how reef communities are affected by the nature and history of coral-killing disturbances, and how those responses to disturbance are influenced by the pattern of local human stressors. New studies answer three focal questions: (1) How do different disturbance types, which either remove (storms) or retain (heat waves) dead coral skeletons, affect community dynamics, abrupt changes in ecological state, and resilience? (2) How do local stressors interact with new disturbance regimes to create spatial heterogeneity in community dynamics, ecosystem processes, and spatial resilience? And (3) What attributes of coral and coral reef communities influence their capacity to remain resilient under current and future environmental conditions? These questions provide an unparalleled opportunity to test hypotheses and advance theory regarding ecological resilience and the causes and consequences of abrupt ecological change, which is broadly relevant across aquatic and terrestrial ecosystems.

This award reflects NSF's statutory mission and has been deemed worthy of support through evaluation using the Foundation's intellectual merit and broader impacts review criteria.

From <http://www.lternet.edu/sites/mcr/> and <http://mcr.lternet.edu/>:

The Moorea Coral Reef LTER site encompasses the coral reef complex that surrounds the island of Moorea, French Polynesia (17°30'S, 149°50'W). Moorea is a small, triangular volcanic island 20 km west of Tahiti in the Society Islands of French Polynesia. An offshore barrier reef forms a system of shallow (mean depth ~ 5-7 m), narrow (~0.8-1.5 km wide) lagoons around the 60 km perimeter of Moorea. All major coral reef types (e.g., fringing reef, lagoon patch reefs, back reef, barrier reef and fore reef) are present and accessible by small boat.

The MCR LTER was established in 2004 by the US National Science Foundation (NSF) and is a partnership between the University of California Santa Barbara and California State University, Northridge. MCR researchers include marine scientists from the UC Santa Barbara, CSU Northridge, UC Davis, UC Santa Cruz, UC San Diego, CSU San Marcos, Duke University and the University of Hawaii. Field operations are conducted from the UC Berkeley Richard B. Gump South Pacific Research Station on the island of Moorea, French Polynesia.

**MCR LTER Data:** The Moorea Coral Reef (MCR) LTER data are managed by and available directly from the MCR project data site URL shown above. The datasets listed below were collected at or near the MCR LTER sampling locations, and funded by NSF OCE as ancillary projects related to the MCR LTER core research themes.

**This project is supported by continuing grants with slight name variations:**

- LTER: Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR II - Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR IIB: Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR III: Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR IV: Long-Term Dynamics of a Coral Reef Ecosystem

**RUI: Ocean Acidification- Category 1- The effects of ocean acidification on the organismic biology and community ecology of corals, calcified algae, and coral reefs (OA\_Corals)**

**Coverage:** Moorea, French Polynesia

While coral reefs have undergone unprecedented changes in community structure in the past 50 y, they now may be exposed to their gravest threat since the Triassic. This threat is increasing atmospheric CO<sub>2</sub>, which equilibrates with seawater and causes ocean acidification (OA). In the marine environment, the resulting decline in carbonate saturation state (Omega) makes it energetically less feasible for calcifying taxa to mineralize; this is a major concern for coral reefs. It is possible that the scleractinian architects of reefs will cease to exist as a mineralized taxon within a century, and that calcifying algae will be severely impaired. While there is a rush to understand these effects and make recommendations leading to their mitigation, these efforts are influenced strongly by the notion that the impacts of pCO<sub>2</sub> (which causes Omega to change) on calcifying taxa, and the mechanisms that drive them, are well-known. The investigators believe that many of the key processes of mineralization on reefs that are potentially affected by OA are only poorly known and that current knowledge is inadequate to support the scaling of OA effects to the community level. It is vital to measure organismal-scale calcification of key taxa, elucidate the mechanistic bases of these responses, evaluate community scale calcification, and finally, to conduct focused experiments to describe the functional relationships between these scales of mineralization.

This project is a 4-y effort focused on the effects of Ocean Acidification (OA) on coral reefs at multiple spatial and functional scales. The project focuses on the corals, calcified algae, and coral reefs of Moorea, French Polynesia, establishes baseline community-wide calcification data for the detection of OA effects on a decadal-scale, and builds on the research context and climate change focus of the Moorea Coral Reef LTER.

This project is a hypothesis-driven approach to compare the effects of OA on reef taxa and coral reefs in Moorea. The PIs will utilize microcosms to address the impacts and mechanisms of OA on biological processes, as well as the ecological processes shaping community structure. Additionally, studies of reef-wide metabolism will be used to evaluate the impacts of OA on intact reef ecosystems, to provide a context within which the experimental investigations can be scaled to the real world, and critically, to provide a much needed reference against which future changes can be gauged.

**Datasets listed in the "Dataset Collection" section include references to results journal publications published as part of this project.**

[ [table of contents](#) | [back to top](#) ]

---

## Program Information


**Long Term Ecological Research network (LTER)**

**Website:** <http://www.lternet.edu/>

**Coverage:** United States

**adapted from** <http://www.lternet.edu/>

The National Science Foundation established the LTER program in 1980 to support research on long-term ecological phenomena in the United States. The Long Term Ecological Research (LTER) Network is a collaborative effort involving more than 1800 scientists and students investigating ecological processes over long temporal and broad spatial scales. The LTER Network promotes synthesis and comparative research across sites and ecosystems and among other related national and international research programs. The LTER research sites represent diverse ecosystems with emphasis on different research themes, and cross-site communication, network publications, and research-planning activities are coordinated through the LTER Network Office.



2017 LTER research site map obtained from <https://lternet.edu/site/lter-network/>

#### Science, Engineering and Education for Sustainability NSF-Wide Investment (SEES): Ocean Acidification (formerly CRI-OA) (SEES-OA)

**Website:** [https://www.nsf.gov/funding/pgm\\_summ.jsp?pims\\_id=503477](https://www.nsf.gov/funding/pgm_summ.jsp?pims_id=503477)

**Coverage:** global

NSF Climate Research Investment (CRI) activities that were initiated in 2010 are now included under Science, Engineering and Education for Sustainability NSF-Wide Investment (SEES). SEES is a portfolio of activities that highlights NSF's unique role in helping society address the challenge(s) of achieving sustainability. Detailed information about the SEES program is available from NSF ([https://www.nsf.gov/funding/pgm\\_summ.jsp?pims\\_id=504707](https://www.nsf.gov/funding/pgm_summ.jsp?pims_id=504707)).

In recognition of the need for basic research concerning the nature, extent and impact of ocean acidification on oceanic environments in the past, present and future, the goal of the SEES: OA program is to understand (a) the chemistry and physical chemistry of ocean acidification; (b) how ocean acidification interacts with processes at the organismal level; and (c) how the earth system history informs our understanding of the effects of ocean acidification on the present day and future ocean.

#### Solicitations issued under this program:

[NSF 10-530](#), FY 2010-FY2011

[NSF 12-500](#), FY 2012

[NSF 12-600](#), FY 2013

[NSF 13-586](#), FY 2014

NSF 13-586 was the final solicitation that will be released for this program.

**PI Meetings:**  
[1st U.S. Ocean Acidification PI Meeting](#)(March 22-24, 2011, Woods Hole, MA)  
[2nd U.S. Ocean Acidification PI Meeting](#)(Sept. 18-20, 2013, Washington, DC)  
3rd U.S. Ocean Acidification PI Meeting (June 9-11, 2015, Woods Hole, MA – Tentative)

**NSF media releases for the Ocean Acidification Program:**

[Press Release 10-186 NSF Awards Grants to Study Effects of Ocean Acidification](#)  
[Discovery Blue Mussels "Hang On" Along Rocky Shores: For How Long?](#)  
[Discovery nsf.gov - National Science Foundation \(NSF\) Discoveries - Trouble in Paradise: Ocean Acidification This Way Comes - US National Science Foundation \(NSF\)](#)  
[Press Release 12-179 nsf.gov - National Science Foundation \(NSF\) News - Ocean Acidification: Finding New Answers Through National Science Foundation Research Grants - US National Science Foundation \(NSF\)](#)  
[Press Release 13-102 World Oceans Month Brings Mixed News for Oysters](#)  
[Press Release 13-108 nsf.gov - National Science Foundation \(NSF\) News - Natural Underwater Springs Show How Coral Reefs Respond to Ocean Acidification - US National Science Foundation \(NSF\)](#)  
[Press Release 13-148 Ocean acidification: Making new discoveries through National Science Foundation research grants](#)  
[Press Release 13-148 - Video nsf.gov - News - Video - NSF Ocean Sciences Division Director David Conover answers questions about ocean acidification. - US National Science Foundation \(NSF\)](#)  
[Press Release 14-010 nsf.gov - National Science Foundation \(NSF\) News - Palau's coral reefs surprisingly resistant to ocean acidification - US National Science Foundation \(NSF\)](#)  
[Press Release 14-116 nsf.gov - National Science Foundation \(NSF\) News - Ocean Acidification: NSF awards \\$11.4 million in new grants to study effects on marine ecosystems - US National Science Foundation \(NSF\)](#)

[ [table of contents](#) | [back to top](#) ]

**Funding**

| Funding Source   | Award                       |
|--|-----------------------------|
| <a href="#">NSF Division of Ocean Sciences (NSF OCE)</a> | <a href="#">OCE-1041270</a> |

[ [table of contents](#) | [back to top](#) ]