

# Record of lionfish sighted and/or collected near Little Cayman Island, 2010 (Lionfish Invasion project)

**Website:** <https://www.bco-dmo.org/dataset/3989>

**Data Type:** Other Field Results

**Version:** 1

**Version Date:** 2013-07-05

## Project

» [Ecological Release and Resistance at Sea: Invasion of Atlantic Coral Reefs by Pacific Lionfish](#) (Lionfish Invasion)

Contributors	Affiliation	Role
<a href="#">Hixon, Mark</a>	Oregon State University (OSU)	Lead Principal Investigator
<a href="#">Kindinger, Tye L.</a>	Oregon State University (OSU)	Scientist
<a href="#">Rauch, Shannon</a>	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

## Abstract

This dataset includes dates, locations, and biological information (e.g. length) of all lionfish (*Pterois volitans*) that were observed and/or collected during field studies at coral reefs near Little Cayman Island, Cayman Islands during the summer of 2010. This dataset includes both lionfish that were sighted (but not handled) and those that were collected.

## Table of Contents

- [Coverage](#)
- [Dataset Description](#)
  - [Methods & Sampling](#)
  - [Data Processing Description](#)
- [Data Files](#)
- [Parameters](#)
- [Deployments](#)
- [Project Information](#)
- [Funding](#)

## Coverage

**Spatial Extent:** N:19.71462 E:-79.95831 S:19.6566 W:-80.1069

**Temporal Extent:** 2010-02-03 - 2010-08-20

## Dataset Description

This dataset includes dates, locations, and biological information (e.g. length) of all lionfish (*Pterois volitans*) that were observed and/or collected during field studies at coral reefs near Little Cayman Island, Cayman Islands during the summer of 2010. This dataset includes both lionfish that were sighted (but not handled) and those that were collected.

## Methods & Sampling

Information was recorded on all invasive lionfish sighted (including lionfish that were collected) during fieldwork at Little Cayman island, Cayman Islands from 03 Feb to 20 Aug 2010.

## Data Processing Description

#### BCO-DMO Processing Notes:

- Modified parameter names to conform with BCO-DMO naming conventions.
- Added lat and lon values for each site included in the original metadata.
- Replaced blanks with 'nd' to indicate 'no data'.
- 08-Jan-2018: removed embargo on dataset.

[ [table of contents](#) | [back to top](#) ]

## Data Files

File
<b>lionfish_sightings_Cayman_2010.csv</b> (Comma Separated Values (.csv), 27.35 KB) MD5:f2ad7b3bfe414aa5bc41e856f73b48f9
Primary data file for dataset ID 3989

[ [table of contents](#) | [back to top](#) ]

## Parameters

Parameter	Description	Units
site	Name of the dive site.	code
lat	Latitude of the reef site.	decimal degrees
lon	Longitude of the reef site.	decimal degrees
fish_id	Unique ID code for each lionfish.	code
date_found	The date that the lionfish was first observed or collected in mm/dd/YYYY format.	unitless
location	Description of specific location within dive sites where lionfish were discovered.	text
depth_ft	Depth where lionfish were discovered (in feet).	feet
len_tot_est	Underwater visual estimates of total body length of lionfish (centimeters).	cm
len_tot	If lionfish were collected, lionfish total body length was measured (in centimeters).	cm
dorsal_spine_clipped	Dorsal spines clipped for identification.  number = which dorsal spines (1-13, head to caudal) were clipped.	code

tag_num	<p>Description of tag location:</p> <p>elastomer tag code = side of body - tag color + position. (e.g. L-RUC = left side - red tag on upper caudal);</p> <p>streamer tag code = tag color + ID number (e.g. Black 005)</p>	code
orientation	Description of body positioning of each lionfish.	text
person	<p>Person who observed individual lionfish (MH = Mark Hixon; FM = Flower Moyer; TK = Tye Kindinger; CB = Casey Benkwitt; LT = Lillian Tuttle; BOB = divemaster Bob from Pirate's Cove Resort; Neil = Neil Van Niekerk)</p>	text
used_for	<p>Which studies individual lionfish were used (if any):</p> <p>Growth &amp; Survival = comparative lionfish growth study (Pacific vs. Atlantic lionfish)</p> <p>Time Budget = comparative lionfish behavior study (Pacific vs. Atlantic lionfish)</p> <p>Parasites = comparative lionfish parasite study (Pacific vs. Atlantic lionfish)</p> <p>Otoliths, Fin Clips, Gut Contents = additional data collected from lionfish to enhance understanding of lionfish biology</p>	text
notes	Additional notes about lionfish observed.	text

[ [table of contents](#) | [back to top](#) ]

---

## Deployments

### Cayman\_Reef\_Surveys\_10-11

<b>Website</b>	<a href="https://www.bco-dmo.org/deployment/59048">https://www.bco-dmo.org/deployment/59048</a>
<b>Platform</b>	Cayman_Islands
<b>Start Date</b>	2010-06-14
<b>End Date</b>	2011-08-29
<b>Description</b>	Coral reefs were surveyed/studied near the Cayman Islands during the summers of 2010 and 2011 as part of the projects "Ecological Release and Resistance at Sea: Invasion of Atlantic Coral Reefs by Pacific Lionfish" and "Mechanisms and Consequences of Fish Biodiversity Loss on Atlantic Coral Reefs Caused by Invasive Pacific Lionfish" (NSF OCE-0851162 & OCE-1233027).

[ [table of contents](#) | [back to top](#) ]

---

## Project Information

### Ecological Release and Resistance at Sea: Invasion of Atlantic Coral Reefs by Pacific Lionfish (Lionfish Invasion)

**Website:** <http://hixon.science.oregonstate.edu/content/highlight-lionfish-invasion>

**Coverage:** Bahamas; Cayman Islands; Mariana Islands; Philippines

Invasive species are increasingly introduced by human activities to new regions of the world where those species have never existed previously. In the absence of natural enemies (predators, competitors, and diseases) from their homeland, invasives may have strong negative effects on invaded ecosystems, especially systems with fewer species ("ecological release"), and may even drive native species extinct. However, if native natural enemies can somehow control the invaders ("ecological resistance"), then ecological disruption can be prevented or at least moderated. Most of the many invasive species in the sea have been seaweeds and invertebrates, and the few documented invasive marine fishes have not caused major problems. However, this situation has recently changed in a stunning and ominous way. In the early 1990s, lionfish (*Pterois volitans*) from the Pacific Ocean were accidentally or intentionally released from aquaria to the ocean in the vicinity of Florida. Camouflaged by shape and color, protected by venomous spines, consuming native coral-reef fishes voraciously, and reproducing rapidly, lionfish have subsequently undergone a population explosion. They now range from the mid-Atlantic coast of the US to the Caribbean, including the Bahamas. Native Atlantic fishes have never before encountered this spiny, stealthy, efficient predator and seldom take evasive action. In fact, the investigator has documented that a single lionfish is capable of reducing the abundance of small fish on a small coral patch reef by nearly 80% in just 5 weeks. There is great concern that invasive lionfish may severely reduce the abundance of native coral-reef fishes important as food for humans (e.g., grouper and snapper in their juvenile stages) as well as species that normally maintain the integrity of coral reefs (e.g., grazing parrotfishes that can prevent seaweeds from smothering corals). There are far more species of coral-reef fish in the Pacific than the Atlantic, so this invasion may represent a case of extreme ecological release with minor ecological resistance. Dr. Hixon and colleagues will study the mechanisms of ecological release in lionfish, as well as examine potential sources of ecological resistance in the heavily invaded Bahamas. Because very little is known about the ecology and behavior of lionfish in their native Pacific range, he will also conduct comparative studies in both oceans, which may provide clues regarding the extreme success of this invasion. In the Bahamas, the investigator will document the direct and indirect effects on native species of the ecological release of lionfish, both as a predator and as a competitor. These studies will be conducted at various scales of time and space, from short-term experiments on small patch reefs, to long-term experiments and observations on large reefs. Whereas direct effects involve mostly changes in the abundance of native species, indirect effects can be highly variable. For example, lionfish may actually indirectly benefit some native species by either consuming or outcompeting the competitors of those natives. The project will explore possible ecological resistance to the invasion by determining whether any native Bahamian species are effective natural enemies of lionfish, including predators, parasites, and competitors of both juvenile and adult lionfish. Comparative studies of natural enemies, as well as lionfish ecology and behavior, in both the Atlantic and the Pacific may provide clues regarding the explosive spread of lionfish in the Atlantic.

Regarding broader impacts, this basic research will provide information valuable to coral-reef and fisheries managers fighting the lionfish invasion in the US, the Bahamas, and the greater Caribbean, especially if sources of native ecological resistance are identified. The study will fund the PhD research of U.S. graduate students, as well as involve assistance and participation by a broad variety of undergraduates and reef/fisheries managers, including women, minorities, native Bahamians, and native Pacific islanders. Participation in this project will promote education in marine ecology and conservation biology directly via Dr. Hixon's and graduate students' teaching and outreach activities, and indirectly via the experiences of undergraduate field assistants and various associates.

[ [table of contents](#) | [back to top](#) ]

---

## Funding

Funding Source	Award
<a href="#">NSF Division of Ocean Sciences (NSF OCE)</a>	<a href="#">OCE-0851162</a>

[ [table of contents](#) | [back to top](#) ]