Experimental results of seawater chemistry for coral recruits in variable CO2 collected from the Natl Museum Mar. Bio. and Aquar., Taiwan in 2010 (MCR LTER project, Climate_Coral_Larvae project)

Website: https://www.bco-dmo.org/dataset/516783
Version: 2014-06-13

Project
» Moorea Coral Reef Long-Term Ecological Research site (MCR LTER)
» The ecophysiological basis of the response of coral larvae and early life history stages to global climate change (Climate_Coral_Larvae)

Program
» Long Term Ecological Research network (LTER)

Contributors	Affiliation	Role
Edmunds, Peter J.	California State University Northridge (CSUN)	Lead Principal Investigator
Dufault, Aaron M.	California State University Northridge (CSUN)	Student
Kinkade, Danie	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Table of Contents

- Dataset Description
  - Methods & Sampling
  - Data Processing Description
- Data Files
- Related Publications
- Parameters
- Instruments
- Deployments
- Project Information
- Program Information
- Funding

Dataset Description

Manipulative studies have demonstrated that ocean acidification (OA) is a threat to coral reefs, yet no experiments have employed diurnal variations in pCO2 that are ecologically relevant to many shallow reefs. Two experiments were conducted to test the response of coral recruits (less than 6 days old) to diurnally oscillating pCO2; one exposing recruits for 3 days to ambient (440 uatm), high (663 uatm) and diurnally oscillating pCO2 on a natural phase (420–596 uatm), and another exposing recruits for 6 days to ambient (456 uatm), high (837 uatm) and diurnally oscillating pCO2 on either a natural or a reverse phase (448–845 uatm).

These seawater chemistry data are published in Dufault et al. (2012), Proc. R. Soc. B. doi:10.1098/rspb.2011.2545, Table 1.

Related Datasets:

recruit_growth_weight
recruit_growth_area
recruit_suvival

Methods & Sampling

Larvae were obtained from brooding colonies coral S. caliendrum collected from 5 to 7 m deep on Hobihu Reef, Nanwan Bay, in March and June of 2010, placed into individual flow-through seawater tanks. Overflow water from each tank passed through mesh-lined (110 mm) cups that captured larvae. Following collection, larvae were settled onto clean pre-weighed glass microscope coverslips. Coverslips with coral recruits (n=18: experiment I; n=36: experiment II) were assigned randomly to the pCO2 treatments.

In experiment I, treatments consisted of steady ambient pCO2, steady high pCO2 and diurnally oscillating pCO2 on a natural phase; this design was augmented in experiment II by including a diurnally oscillating pCO2 on a reverse phase.

The DIC content of seawater was manipulated by bubbling premixed gas of a known pCO2 or by bubbling unmodified air for the ambient treatment. To mix the gas for the high pCO2 treatments, a system employing a variable-timed solenoid valve was used, which controlled the flow of air and CO2 into a mixing chamber to reach the target pCO2 of 650 matm in experiment I. This target value was selected to provide a conservative estimate for the atmospheric pCO2 by 2100 following the business as usual emission scenario A1 [30]. In experiment II, pCO2 levels were increased to 800 matm to test the effects of diurnally oscillating pCO2 levels that exceeded what is found at Hobihu reef. The solenoid valve was connected to an infrared gas analyser (S151, Qubit Systems, Ontario Canada), which monitored the output gas and provided dynamic control of the duty cycle of the solenoid, thereby providing a consistent concentration of mixed gas to the treatment tanks. Refer to the electronic supplementary material for seawater chemistry and field sampling methods.

For detailed description of methods, see Dufault et al. (2012), Proc. R. Soc. B. doi:10.1098/rspb.2011.2545

Data Processing Description

For detailed description of processing see Dufault et al. (2012), Proc. R. Soc. B. doi:10.1098/rspb.2011.2545

[table of contents | back to top]

Data Files

File
CoralRecruit_seawater_chem.csv (Comma Separated Values (.csv), 7.36 KB) MD5:11da594cc1545f8c0a1baaaae489d8ff Primary data file for dataset ID 516783

[table of contents | back to top]

Related Publications

Dufault, A. M., Cumbo, V. R., Fan, T.-Y., & Edmunds, P. J. (2012). Effects of diurnally oscillating pCO2 on the calcification and survival of coral recruits. Proceedings of the Royal Society B: Biological Sciences, 279(1740), 2951–2958. doi:10.1098/rspb.2011.2545
Results

[table of contents | back to top]

Parameters

Parameter	Description	Units
laboratory	Laboratory where experiments were conducted.	unitless
lat	Latitude component of geographic position where experiments were conducted.	decimal degrees
lon	Longitude component of geographic position where experiments were conducted.	decimal degrees
date	Date of tank water sampling.	MMDDYYYY
yrday	Year day of tank water sampling.	
experiment	Experiment identifier: Experiment I treatments consisted of steady ambient pCO2, steady high pCO2 and diurnally oscillating pCO2 on a natural phase. Experiment II treatments consisted of a diurnally oscillating pCO2 on a reverse phase.	dimensionless
tank_XX	Experimental tank number, where XX is equivalent to 1, 3, 8, 10, 12, 13, 14, 15 for experiment I, and 1, 2, 7, 8, 10, 14, 15, 16 for experiment II.	dimensionless
temp_X	Water temperature of experimental tank on day of measurement, where X is equivalent to I for experiment I or II for experiment II.	degrees Celsius
sal_X	Salinity of experimental tank on day of measurement, where X is equal to I for experiment I and II for experiment II.	PSU
TA_X	Total alkalinity of experimental tank on day of measurement, where X is equal to I for experiment I and II for experiment II.	umol per kilogram
pH_X	pH (total scale) of expeimental tank on day of measurement, where X is equal to I for experiment I and II for experiment II.	
pCO2_X	Partial pressure of CO2 for expeimental tank on day of measurement, where X is equal to I for experiment I and II for experiment II.	microatmospheres
omega_X	Aragonite saturation state of expeimental tank on day of measurement, where X is equal to I for experiment I and II for experiment II.	dimensionless

[table of contents | back to top]

Instruments

Dataset-specific Instrument Name	infrared gas analyser
Generic Instrument Name	Gas Analyzer
Dataset-specific Description	An infrared gas analyser (S151, Qubit Systems, Ontario Canada) was used to provide consistent gas mixture.
Generic Instrument Description	Gas Analyzers - Instruments for determining the qualitative and quantitative composition of gas mixtures.

[table of contents | back to top]

Deployments

lab_Edmunds_NMMBA

Website	https://www.bco-dmo.org/deployment/58892
Platform	Natl Museum Mar. Bio. and Aquar. Taiwan
Start Date	2010-03-18
End Date	2010-03-24
Description	Experiments related to the research project: 'RUI- The ecophysiological basis of the response of coral larvae and early life history stages to global climate change' were conducted at the laboratories of the National Museum of Marine Biology and Aquarium in Southern Taiwan.

[table of contents | back to top]

Project Information

Moorea Coral Reef Long-Term Ecological Research site (MCR LTER)

Website: http://mcr.lternet.edu/

Coverage: Island of Moorea, French Polynesia

NSF Award Abstract:

Coral reefs provide important benefits to society, from food to exceptional biodiversity to shoreline protection and recreation, but they are threatened by natural perturbations and human activities, including those causing global-scale changes. These pressures increasingly are causing coral reefs to undergo large, often abrupt, ecological changes where corals are being replaced by seaweeds or other undesirable organisms. Historically, the major agent of disturbance to coral reefs has been powerful storms, but in recent decades, episodes of mass coral bleaching from marine heat waves have become more frequent and severe as the temperature of ocean surface waters continues to rise. Coral

reefs are further stressed by local human activities that cause nutrient pollution and deplete herbivorous fishes that control growth of seaweeds. Studying how coral reefs respond to these two types of disturbance under different levels of nutrient pollution and fishing provides essential information on what affects the ability of coral reefs to buffer environmental change and disturbances without collapsing to a persistent, degraded condition. The fundamental goals of the Moorea Coral Reef Long Term Ecological Research program (MCR LTER) are to understand how and why coral reefs change over time, to assess the consequences of these changes, and to contribute scientific knowledge needed to sustain coral reef ecosystems and the important societal services they provide. This research improves understanding and management of coral reefs, which benefits all groups concerned with the welfare of this ecologically, economically and culturally important ecosystem. In addition to academic communities, scientific findings are communicated to interested individuals, non-governmental organizations, island communities and governmental entities. These findings also are integrated into K-12, undergraduate, graduate and public education activities through a multi-pronged program that includes inquiry-based curricula, interactive and media-based public education programs, and internet-based resources. MCR?s research, training, education and outreach efforts all emphasize broadening participation in STEM fields and strengthening STEM literacy.

New research activities build on MCR LTER?s powerful foundation of long-term observations and broad ecological understanding of oceanic coral reefs to address the following core issues: How is the changing disturbance regime (recurrent heat waves in addition to cyclonic storms) altering the resilience of coral reefs, and what are the ecological consequences of altered resilience? Research activities are organized around a unifying framework that explicitly addresses how reef communities are affected by the nature and history of coral-killing disturbances, and how those responses to disturbance are influenced by the pattern of local human stressors. New studies answer three focal questions: (1) How do different disturbance types, which either remove (storms) or retain (heat waves) dead coral skeletons, affect community dynamics, abrupt changes in ecological state, and resilience? (2) How do local stressors interact with new disturbance regimes to create spatial heterogeneity in community dynamics, ecosystem processes, and spatial resilience? And (3) What attributes of coral and coral reef communities influence their capacity to remain resilient under current and future environmental conditions? These questions provide an unparalleled opportunity to test hypotheses and advance theory regarding ecological resilience and the causes and consequences of abrupt ecological change, which is broadly relevant across aquatic and terrestrial ecosystems.

This award reflects NSF's statutory mission and has been deemed worthy of support through evaluation using the Foundation's intellectual merit and broader impacts review criteria.

From http://www.lternet.edu/sites/mcr/ and http://mcr.lternet.edu/:
The Moorea Coral Reef LTER site encompasses the coral reef complex that surrounds the island of Moorea, French Polynesia (17°30'S, 149°50'W). Moorea is a small, triangular volcanic island 20 km west of Tahiti in the Society Islands of French Polynesia. An offshore barrier reef forms a system of shallow (mean depth ~ 5-7 m), narrow (~0.8-1.5 km wide) lagoons around the 60 km perimeter of Moorea. All major coral reef types (e.g., fringing reef, lagoon patch reefs, back reef, barrier reef and fore reef) are present and accessible by small boat.

The MCR LTER was established in 2004 by the US National Science Foundation (NSF) and is a partnership between the University of California Santa Barbara and California State University, Northridge. MCR researchers include marine scientists from the UC Santa Barbara, CSU Northridge, UC Davis, UC Santa Cruz, UC San Diego, CSU San Marcos, Duke University and the University of Hawaii. Field operations are conducted from the UC Berkeley Richard B. Gump South Pacific Research Station on the island of Moorea, French Polynesia.

MCR LTER Data: The Moorea Coral Reef (MCR) LTER data are managed by and available directly from the MCR project data site URL shown above. The datasets listed below were collected at or near the MCR LTER sampling locations, and funded by NSF OCE as ancillary projects related to the MCR LTER core research themes.

This project is supported by continuing grants with slight name variations:

- LTER: Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR II - Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR IIB: Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR III: Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR IV: Long-Term Dynamics of a Coral Reef Ecosystem

The ecophysiological basis of the response of coral larvae and early life history stages to global climate change (Climate_Coral_Larvae)

Coverage: Moorea, French Polynesia; Southern Taiwan; California State University Northridge

Tropical coral reefs face a suite of environmental assaults ranging from anchor damage to the effects of global climate change (GCC). The consequences are evident throughout the tropics, where many coral reefs have lost a substantial fraction of their coral cover in a few decades. Notwithstanding the importance of reducing the impacts of environmental stresses, the only means by which these ecosystems can recover (or simply persist) is through the recruitment of scleractinians, which is a function of successful larval development, delivery, settlement, metamorphosis, and post-settlement events. Despite wide recognition of the importance of these processes, there are few pertinent empirical data, and virtually none that address the mechanisms mediating the success of early coral life stages in a physical environmental varying at multiple spatio-temporal scales.

The objective of this research is to complete one of the first comprehensive ecophysiological analyses of the early life stages of corals through a description of: (1) their functionality under 'normal' conditions, and (2) their response to the main drivers of GCC. These analyses will be completed for 2 species representative of a brooding life history strategy, and the experiments will be completed in two locations, one (Taiwan) that provides unrivalled experience in coral reproductive biology, and superb microcosm facilities, and the other (Moorea), with access to a relatively pristine environment, a well described ecological and oceanographic context (through the MCR-LTER), and the capacity to bring a strong biogeographic contrast to the project. The results of the study will be integrated through modeling to explore the effects of GCC on coral community structure over the next century.

The following publications and data resulted from this project:

2013 Wall CB, Fan TY, Edmunds PJ. Ocean acidification has no effect on thermal bleaching in the coral *Seriatopora caliendrum*. Coral Reefs 33: 119-130.
Symbiodinium_Seriatopora photosynthesis
Symbiodinium_Seriatopora PI curve
Symbiodinium_Seriatopora temp-salinity-light
Symbiodinium_Seriatopora water chemistry
- Download complete data for this publication (Excel file)

2013 Wall CB, Edmunds PJ. *In situ* effects of low pH and elevated HCO3- on juvenile *Porites* spp. in Moorea, French Polynesia. Biological Bulletin 225:92-101.
Data at MCR and PANGEA: doi.pangaea.de/10.1594/PANGAEA.833913
- Download complete data for this publication (Excel file)

2013 Vivian R Cumbo, Peter J Edmunds, Christopher B Wall, Tung-Yung Fan. Brooded coral larvae differ in their response to high temperature and elevated pCO2 depending on the day of release. Marine Biology DOI 10.1007/s00227-013-2280-y.
Data also at PANGEA: doi.pangaea.de/10.1594/PANGAEA.831612
brooded coral larvae 2 - carbonate chemistry
brooded coral larvae 2 - larval release March 2003-2008
brooded coral larvae 2 - respiration_photosyth_mortality
- Download complete data for this publication (Excel file)

2013 Edmunds PJ, Cumbo VR, Fan TY. Metabolic costs of larval settlement and metamorphosis in the coral *Seriatopora caliendrum* under ambient and elevated pCO2. Journal Experimental Marine Biology and Ecology 443: 33-38 Data also at PANGEA: doi:10.1594/PANGAEA.821644
Coral post-settlement physiology
- Download complete data for this publication (Excel file)

2013 Aaron M Dufault, Aaron Ninokawa, Lorenzo Bramanti, Vivian R Cumbo, Tung-Yung Fan, Peter J Edmunds. The role of light in mediating the effects of ocean acidification on coral calcification. Journal of Experimental Biology 216: 1570-1577.
coral-light expt.- PAR
coral-light expt.- carbonate chemistry
coral-light expt.- temp_salinity
coral-light expt.- growth
coral-light expt.- protein
coral-light expt.- survival
- Download complete data for this publication (Excel file)

2012 Cumbo, VR, Fan TY, Edmunds PJ. Effects of exposure duration on the response of *Pocillopora damicornis* larvae to elevated temperature and high pCO2. J Exp Mar Biol

Ecol 439: 100-107.
Data is also at PANGEA: doi:10.1594/PANGAEA.823582
brooded coral larvae 3 - carbonate chemistry
brooded coral larvae 3 - light
brooded coral larvae 3 - mortality
brooded coral larvae 3 - protein
brooded coral larvae 3 - respiration and protein
brooded coral larvae 3 - respiration raw data
brooded coral larvae 3 - symbiont density
brooded coral larvae 3 - tank temperature
- Download part 1 of data for this publication (Excel file)
- Download tank parameters data for this publication (Excel file)

2012 Cumbo, VR, Fan TY, Edmunds PJ. Physiological development of brooded larvae from two pocilloporid corals in Taiwan. Marine Biology 159: 2853-2866.
brooded coral - carbonate chemistry
brooded coral - release
brooded coral - respiration
brooded coral - settlement competency
brooded coral - size_July
brooded coral - size_protein_symbionts_photosynth
- Download complete data for this publication (Excel file)

2012 Dufault, Aaron M; Vivian R Cumbo; Tung-Yung Fan; Peter J Edmunds. Effects of diurnally oscillating pCO2 on the calcification and survival of coral recruits. Royal Society of London (B) 279: 2951-2958. doi:10.1098/rspb.2011.2545
Data is also at PANGEA: doi:10.1594/PANGAEA.830185
recruit_growth_area
recruit_growth_weight
recruit_seawater_chemistry
recruit_survival
- Download complete data for this publication (Excel file)

2011 Edmunds PJ, Cumbo V, Fan TY. Effects of temperature on the respiration of brooded larvae from tropical reef corals. Journal of Experimental Biology 214: 2783-2790.
CoralLarvae_comparison_respir
CoralLarvae_release
CoralLarvae_respir
CoralLarvae_size
- Download complete data for this publication (Excel file)

[table of contents | back to top]

Program Information

Long Term Ecological Research network (LTER)

Website: http://www.lternet.edu/

Coverage: United States

adapted from http://www.lternet.edu/

The National Science Foundation established the LTER program in 1980 to support research on long-term ecological phenomena in the United States. The Long Term Ecological Research (LTER) Network is a collaborative effort involving more than 1800 scientists and students investigating ecological processes over long temporal and broad spatial scales. The LTER Network promotes synthesis and comparative research across sites and ecosystems and among other related national and international research programs. The LTER research sites represent diverse ecosystems with emphasis on different research themes, and cross-site communication, network publications, and research-planning activities are coordinated through the LTER Network Office.



2017 LTER research site map obtained from https://lternet.edu/site/lter-network/

Site Codes

AND	Andrews Forest LTER
ARC	Arctic LTER
BES	Baltimore Ecosystem Stu
BLE	Beaufort Lagoon Ecosystems LTER
BNZ	Bonanza Creek LTER
CCE	California Current Ecosystem LTER
CDR	Cedar Creek Ecosystem Science Reserve
CAP	Central Arizona-Phoenix LTER
CWT	Coweeta LTER
FCE	Florida Coastal Everglades LTER
GCE	Georgia Coastal Ecosystems LTER
HFR	Harvard Forest LTER
HBR	Hubbard Brook LTER
JRN	Jornada Basin LTER
KBS	Kellogg Biological Station LTER
KNZ	Konza Prairie LTER
LUQ	Luquillo LTER
MCM	McMurdo Dry Valleys LT
MCR	Moorea Coral Reef LTEF
NWT	Niwot Ridge LTER
NTL	North Temperate Lakes I
NES	Northeast U.S. Shelf LTE
NGA	Northern Gulf of Alaska I
PAL	Palmer Antarctica LTER
PIE	Plum Island Ecosystems LTER
SBC	Santa Barbara Coastal L
SEV	Sevilleta LTER
VCR	Virginia Coast Reserve L

[table of contents | back to top]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-0844785

[table of contents | back to top]