

Porites growth, respiration, and photophysiology and seawater carbonate chemistry from Richard B Gump Research Station - Moorea LTER, French Polynesia from 2011 (MCR LTER project)

Website: <https://www.bco-dmo.org/dataset/526785>

Version: 2014-08-22

Project

» [Moorea Coral Reef Long-Term Ecological Research site](#) (MCR LTER)

Program

» [Long Term Ecological Research network](#) (LTER)

Contributors	Affiliation	Role
Edmunds, Peter J.	California State University Northridge (CSUN)	Principal Investigator
Copley, Nancy	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Table of Contents

- [Dataset Description](#)
 - [Methods & Sampling](#)
- [Data Files](#)
- [Parameters](#)
- [Deployments](#)
- [Project Information](#)
- [Program Information](#)
- [Funding](#)

Dataset Description

This data set tested the effect of 3 pCO₂ levels on the metabolism of juvenile massive *Porites* spp. Conducted in Moorea, French Polynesia in April-May 2011. Aerobic dark respiration, skeletal weight (i.e., calcification), biomass, and chlorophyll fluorescence were measured as well as the experimental seawater carbonate parameters.

These data were published in Edmunds PJ. (2012) Effect of pCO₂ on the growth, respiration, and photophysiology of massive *Porites* spp. in Moorea, French Polynesia. Marine Biology 159: 2149-2160.

[Download data \(Excel file\)](#)

Methods & Sampling

Hypothesis: that high pCO₂ (76.6 Pa and 87.2 Pa vs. 42.9 Pa) has no effect on the metabolism of juvenile massive *Porites* spp. after 11 days at 28 °C and 545 μmol quanta/m²/s. The response was assessed as aerobic dark respiration, skeletal weight (i.e., calcification), biomass, and chlorophyll fluorescence. Corals were collected from the shallow (3-4 m) back reef of Moorea, French Polynesia (17°28.614'S, 149°48.917'W), and experiments conducted during April and May 2011. An increase in pCO₂ to 76.6 Pa had no effect on any dependent variable, but 87.2 Pa pCO₂ reduced area-normalized (but not biomass-normalized) respiration 36%, as well as maximum photochemical efficiency (F_v/F_m) of open RCIIIs and effective photochemical efficiency of RCIIIs in actinic light (Delta F/F_m); neither biomass, calcification, nor the energy expenditure coincident with calcification (J/g) was effected. These results do not support the hypothesis that high pCO₂ reduces coral calcification through increased metabolic costs and, instead, suggest that high pCO₂ causes metabolic depression and photochemical impairment similar to that associated with bleaching. Evidence of a pCO₂ threshold between 76.6 and 87.2 Pa for inhibitory effects on respiration and photochemistry deserves further attention as it might signal the presence of unpredictable effects of rising pCO₂.

[Full methodology description](#)

[[table of contents](#) | [back to top](#)]

Data Files

File
porites.csv (Comma Separated Values (.csv), 6.33 KB) MD5:362ec14a6aac7252059807935273ed0
Primary data file for dataset ID 526785

[[table of contents](#) | [back to top](#)]

Parameters

Parameter	Description	Units
lab	laboratory	unitless
lat	latitude; north is positive	degrees
lon	longitude; east is positive	degrees
species	Species	unitless
treatment	Treatment: LT-AC = ambient pCO ₂ ; LT-MC = medium pCO ₂ ; LT-HC = high pCO ₂	unitless
date_TLC	Date of temperature, light, carbonate chemistry measurements. Note: the respiration, growth and photophysiology measurements followed beginning a day after these were done.	unitless
tank	Water source identification number	unitless
pH	pH: spectrophotometric method	pH units
pCO ₂	Partial pressure of carbon dioxide (water) at sea surface temperature (wet air); Calculated using CO ₂ SYS (URI: http://cdiac.ornl.gov/oceans/co2rprt.html)	atm
TA	Total alkalinity: potentiometric titration	mol/kg
omega_Arg	Aragonite saturation state; Calculated using CO ₂ SYS (URI: http://cdiac.ornl.gov/oceans/co2rprt.html)	unitless
irradiance	Irradiance	E/m ² /s
temp	Water temperature	degrees Celsius
surface_area	Surface area of coral tissue	cm ²
respiration_area	Respiration rate per area in dark	mol/cm ² /h
growth_area	Calcification rate of calcium carbonate	mg/cm ² /day
metab_exp	Metabolic expenditure	J/g
respiration_mass	Dark respiration normalized to biomass	mol/mg/h
growth_mass	Calcification rate of calcium carbonate	mg/mg/day
biomass	biomass of coral	mg/cm ²
phi_PS_II	Effective photochemical quantum yield	unitless
Fv_Fm	Maximum photochemical quantum yield of photosystem II	unitless
Qm	Excitation pressure	unitless
F_prime	Fluorescence yield in actinic light	arbitrary units
Fm_prime	Maximum fluorescence yield in actinic light	arbitrary units
Fo	Fluorescence yield in darkness	arbitrary units
Fm	Maximum fluorescence yield in darkness	arbitrary units

[[table of contents](#) | [back to top](#)]

Deployments

Edmunds_MCR_2011

Website	https://www.bco-dmo.org/deployment/526735
Platform	Richard B Gump Research Station - Moorea LTER
Start Date	2011-04-13
End Date	2011-05-06

[[table of contents](#) | [back to top](#)]

Project Information

Moorea Coral Reef Long-Term Ecological Research site (MCR LTER)

Website: <http://mcr.lternet.edu/>

Coverage: Island of Moorea, French Polynesia

From <http://www.lternet.edu/sites/mcr/> and <http://mcr.lternet.edu/>:

The Moorea Coral Reef LTER site encompasses the coral reef complex that surrounds the island of Moorea, French Polynesia (17°30'S, 149°50'W). Moorea is a small, triangular volcanic island 20 km west of Tahiti in the Society Islands of French Polynesia. An offshore barrier reef forms a system of shallow (mean depth ~ 5-7 m), narrow (~0.8-1.5 km wide) lagoons around the 60 km perimeter of Moorea. All major coral reef types (e.g., fringing reef, lagoon patch reefs, back reef, barrier reef and fore reef) are present and accessible by small boat.

The MCR LTER was established in 2004 by the US National Science Foundation (NSF) and is a partnership between the University of California Santa Barbara and California State University, Northridge. MCR researchers include marine scientists from the UC Santa Barbara, CSU Northridge, UC Davis, UC Santa Cruz, UC San Diego, CSU San Marcos, Duke University and the University of Hawaii. Field operations are conducted from the UC Berkeley Richard B. Gump South Pacific Research Station on the island of Moorea, French Polynesia.

MCR LTER Data: The Moorea Coral Reef (MCR) LTER data are managed by and available directly from the MCR project data site URL shown above. The datasets listed below were collected at or near the MCR LTER sampling locations, and funded by NSF OCE as ancillary projects related to the MCR LTER core research themes.

This project is supported by continuing grants with slight name variations:

- LTER: Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR II - Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR IIB: Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR III: Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR IV: Long-Term Dynamics of a Coral Reef Ecosystem

[[table of contents](#) | [back to top](#)]

Program Information


Long Term Ecological Research network (LTER)

Website: <http://www.lternet.edu/>

Coverage: United States

adapted from <http://www.lternet.edu/>

The National Science Foundation established the LTER program in 1980 to support research on long-term ecological phenomena in the United States. The Long Term Ecological Research (LTER) Network is a collaborative effort involving more than 1800 scientists and students investigating ecological processes over long temporal and broad spatial scales. The LTER Network promotes synthesis and comparative research across sites and ecosystems and among other related national and international research programs. The LTER research sites represent diverse ecosystems with emphasis on different research themes, and cross-site communication, network publications, and research-planning activities are coordinated through the LTER Network Office.



- Site Codes**
- AND Andrews Forest LTER
 - ARC Arctic LTER
 - BES Baltimore Ecosystem Stu
 - BLE Beaufort Lagoon
 - Ecosystems LTER
 - BNZ Bonanza Creek LTER
 - CCE California Current
 - Ecosystem LTER
 - CDR Cedar Creek Ecosystem
 - Science Reserve
 - CAP Central Arizona-
 - Phoenix LTER
 - CWT Coweeta LTER
 - FCE Florida Coastal
 - Everglades LTER
 - GCE Georgia Coastal
 - Ecosystems LTER
 - HFR Harvard Forest LTER
 - HBR Hubbard Brook LTER
 - JRN Jornada Basin LTER
 - KBS Kellogg Biological
 - Station LTER
 - KNZ Konza Prairie LTER
 - LUQ Luquillo LTER
 - MCM McMurdo Dry Valleys LT
 - MCR Moorea Coral Reef LTER
 - NWT Niwot Ridge LTER
 - NTL North Temperate Lakes I
 - NES Northeast U.S. Shelf LTER
 - NGA Northern Gulf of Alaska I
 - PAL Palmer Antarctica LTER
 - PIE Plum Island
 - Ecosystems LTER
 - SBC Santa Barbara Coastal L
 - SEV Sevilleta LTER
 - VCR Virginia Coast Reserve L

2017 LTER research site map obtained from <https://lternet.edu/site/lter-network/>

[[table of contents](#) | [back to top](#)]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-0417412
NSF Division of Ocean Sciences (NSF OCE)	OCE-1236905

[[table of contents](#) | [back to top](#)]