

Transcript counts per liter from samples collected during the SIMCO 1 & 2 (July & Oct 2014) incubation experiments on the linkage between DOM changes and microbial transcription patterns at Sapelo Island, GA.

Website: <https://www.bco-dmo.org/dataset/661866>

Data Type: Other Field Results

Version:

Version Date: 2016-10-26

Project

» [High Resolution Linkages Between DOC Turnover and Bacterioplankton in a Coastal Ocean](#) (SIMCO)

Contributors	Affiliation	Role
Moran, Mary Ann	University of Georgia (UGA)	Principal Investigator
Copley, Nancy	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Table of Contents

- [Dataset Description](#)
 - [Methods & Sampling](#)
 - [Data Processing Description](#)
- [Data Files](#)
- [Parameters](#)
- [Instruments](#)
- [Deployments](#)
- [Project Information](#)
- [Funding](#)

Dataset Description

Incubation experiments examining concurrent changes in DOC composition and microbial transcription patterns were carried out in July 2014 (SIMCO1) and October 2014 (SIMCO2) at Sapelo Island, GA. This dataset contains the number of transcripts per liter of seawater for each taxon. Cells were collected by filtration at the time of initial surface water collection (Time 0) and after a 24 hr incubation (Time 24) for both high and low tide water collections on each of the two sample dates. Filters were processed for RNA extraction and mRNA-enriched material was sequenced on an Illumina HiSeq2500 run to produce single-end 250 bp reads.

Methods & Sampling

Water samples were collected from Marsh Landing Dock on Sapelo Island GA, prefiltered through a 3 micron membrane filter to remove most eukaryotic microbes, and incubated in 10 L carboys in situ in the dark for 24 h. At the beginning and end of the incubation, three carboys were sacrificed for nucleic acid extraction on 0.2 micron membrane filters, and microbial transcripts were analyzed from two of the three replicates according to methods in Satinsky et al. 2013 and 2014 and protocols.io (<https://www.protocols.io/g/moran-lab>).

Data Processing Description

Reads were put through a quality control pipeline that removed rRNAs and internal standards added for quantification (Satinsky et al. 2013). Transcripts per liter of seawater at the beginning and end of the incubations were calculated based on internal standard recovery as described in Satinsky et al. 2013.

References:

Brandon M. Satinsky, Scott M. Gifford, Byron C. Crump, Mary Ann Moran, 2013. Chapter 12: "Use of Internal Standards for Quantitative Metatranscriptome and Metagenome Analysis" in Methods in Enzymology, Vol. 531. ISSN 0076-6879, <http://dx.doi.org/10.1016/B978-0-12-407863-5.00012-5>.

Brandon M. Satinskya, Byron C. Crumpb, Christa B. Smithc, Shalabh Sharmac, Brian L. Zielinskid, Mary Dohertye, Jun Mengc, Shulei Sunf, Patricia M. Medeirosc, John H. Pauld, Victoria J. Colese, Patricia L. Yagerc, and Mary Ann Moranc. 2014. Microspatial gene expression patterns in the Amazon River Plume. PNAS 111(30):11085-11090. www.pnas.org/cgi/doi/10.1073/pnas.1402782111

BCO-DMO Processing:

- added conventional header with dataset name, PI name, version date
- column names reformatted to comply with BCO-DMO standards
- replaced spaces with underscores

[[table of contents](#) | [back to top](#)]

Data Files

File
transcripts_per_L.csv (Comma Separated Values (.csv), 309 bytes) MD5:ebc622eba89e94b5a2ff595c2a5ea3fe Primary data file for dataset ID 661866

[[table of contents](#) | [back to top](#)]

Parameters

Parameter	Description	Units
sample	sample identification: S1 = July 2014, S2 = October 2014, L versus H = low tide or high tide; 0 or 24 =time zero or time 24 h (at the time of sample collection or after 24 h incubation in the dark), and -1 or -2 = replicate designations.	unitless
transcripts_per_L	number of transcripts per liter	transcripts/liter

[[table of contents](#) | [back to top](#)]

Instruments

Dataset-specific Instrument Name	Illumina HiSeq2500
Generic Instrument Name	Automated DNA Sequencer
Dataset-specific Description	mRNA-enriched material was sequenced
Generic Instrument Description	A DNA sequencer is an instrument that determines the order of deoxynucleotides in deoxyribonucleic acid sequences.

[[table of contents](#) | [back to top](#)]

Deployments

Moran_Sapelo_2012-14

Website	https://www.bco-dmo.org/deployment/661864
Platform	Univ_Georgia
Start Date	2012-09-01
End Date	2014-10-31
Description	Microbial 'omics studies

[[table of contents](#) | [back to top](#)]

Project Information

High Resolution Linkages Between DOC Turnover and Bacterioplankton in a Coastal Ocean (SIMCO)

Coverage: Southeastern U.S. coastal ocean, 31.4° N Lat, 81.3° W Lon

Description from NSF award abstract:

Long-standing questions regarding the fate of dissolved organic carbon (DOC) in coastal oceans require a better understanding of the network that links bacterioplankton metabolism with carbon transformation. These questions address uncertainties about the composition of the bioreactive DOC components transformed in ocean margins, and the role of bacterial taxonomic and genetic composition in determining the fate of DOC.

This project will infuse a new type of data into coastal carbon cycle research based on high-resolution chemical analysis coupled with bacterial gene expression measures. It will extend DOC process studies down to the single-compound level and bacterial activity studies down to the single-gene level, and integrate this information into existing bioinformatic resources for biogeochemical and modeling applications.

The specific goals of this project are:

- 1) To reconstruct major components of the network linking DOC composition, DOC turnover, and bacterial heterotrophy in the coastal ocean (the composition of the DOC pool, the major bioreactive components, the bacterioplankton taxa mediating transformations, and the bacterial genes and pathways responsible).
- 2) To test hypothesized network links for selected DOC compounds using a simplified system that queries individual DOC compounds against a complex natural microbial community.
- 3) To test hypothesized network links for marine bacteria using a simplified system that queries a single generalist heterotrophic bacteria against a complex natural DOC pool.
- 4) To verify predicted DOC-gene linkages that are most informative about heterotrophic activities of bacterioplankton.

This research addresses fundamental questions on bacterial mediation of organic carbon fate in the ocean and atmosphere. As such, these investigations linking the chemical changes in dissolved organic carbon with patterns of gene expression in coastal bacterioplankton communities will be of interest to scientists across several disciplines.

Note: The project acronym, SIMCO, means "Sapelo Island Microbial Carbon Observatory".

[[table of contents](#) | [back to top](#)]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-1356010

[[table of contents](#) | [back to top](#)]