

Calcification rates of *Acropora pulchra* in ambient and elevated temperature and pCO₂ conditions sampled during experiments at Richard B Gump Research Station, Moorea, French Polynesia from Oct to Nov of 2015

Website: <https://www.bco-dmo.org/dataset/684594>

Data Type: experimental

Version: 1

Version Date: 2017-03-20

Project

- » [Moorea Coral Reef Long-Term Ecological Research site](#) (MCR LTER)
- » [Collaborative Research: Ocean Acidification and Coral Reefs: Scale Dependence and Adaptive Capacity](#) (OA coral adaptation)

Programs

- » [Long Term Ecological Research network](#) (LTER)
- » [Science, Engineering and Education for Sustainability NSF-Wide Investment \(SEES\): Ocean Acidification \(formerly CRI-OA\)](#) (SEES-OA)

Contributors	Affiliation	Role
Edmunds, Peter J.	California State University Northridge (CSUN)	Principal Investigator
Carpenter, Robert	California State University Northridge (CSUN)	Co-Principal Investigator
Srednick, Griffin	California State University Northridge (CSUN)	Technician
Vaughan, Megan	California State University Northridge (CSUN)	Technician
York, Amber D.	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Abstract

This dataset includes calcification rates of the coral *Acropora pulchra* during two 21-day experimental treatments from October to November of 2015 conducted at the Richard B Gump Research Station, Moorea, French Polynesia. The first 21-day treatment was conducted using approximated ambient conditions, and the second "high" treatment conditions had elevated temperature and pCO₂ levels.

Table of Contents

- [Coverage](#)
- [Dataset Description](#)
 - [Methods & Sampling](#)
 - [Data Processing Description](#)
- [Data Files](#)
- [Related Publications](#)
- [Parameters](#)
- [Deployments](#)
- [Project Information](#)
- [Program Information](#)
- [Funding](#)

Coverage

Spatial Extent: Lat:-17.4907 Lon:-149.826

Temporal Extent: 2015-10 - 2015-11

Dataset Description

These data were published in Shaw et al. 2016.

Related datasets also utilized in Shaw et al. 2016:

[Acropora pulchra calcification experiment 1](#)

[Acropora pulchra calcification experiment: carbonate chemistry](#) (these measurements were taken during experiments 1 and 2)

Methods & Sampling

A single branch of *A. pulchra* was sampled from each of the 68 colonies located at 1 m depth and scattered haphazardly along 22 km of Moorea back reef along both the northern and western shores. Samples were collected on November 17, 2015, and were prepared as nubbins as described above for Experiment 1 (see [experiment 1 dataset](#), and Shaw et al. 2016). The experiment ran for 42 days and was split into two 21-d periods from October - November 2015. During the first 21 days, nubbins were kept under constant pCO₂ and temperature conditions that approximated ambient conditions for the back reef of Moorea. For the second 21 days, nubbins were exposed to high temperature (29.4 ± 0.2 °C) and elevated pCO₂ (1064 ± 13 uatm), to compare Gn under both ambient and high treatments for the same nubbins.

Buoyant weights of the corals were recorded at the beginning of the incubation, after 21 days in ambient treatment, and after 21 days in the high CO₂ treatment. The difference between the initial and final buoyant weight was converted to dry skeletal weight over each 21-day period using the aragonite density of 2.93 g cm⁻³, in accordance with the mineral form of CaCO₃ deposited by *A. pulchra*. Rates of net calcification (Gn) were normalized to the area of organisms estimated using wax dipping (Stimson and Kinzie 1991).

Data Processing Description

To test for an effect of the treatment sequence of the consecutive 21-day periods, Gn for each coral in both periods was compared using the Wilcoxon signed-rank test. Pearson's correlation was used to test for an association between the change in Gn between periods and initial Gn.

BCO-DMO Data Manager Processing Notes:

- * added a conventional header with dataset name, PI name, version date
- * modified parameter names to conform with BCO-DMO naming conventions
- * All values were rounded to three decimal places if more than that.
- * latitude and longitude added for experiment location

[[table of contents](#) | [back to top](#)]

Data Files

File
exp2.csv (Comma Separated Values (.csv), 3.00 KB) MD5:99995e41aa247c18bf4a0d921ea4f676
Primary data file for dataset ID 684594

[[table of contents](#) | [back to top](#)]

Related Publications

Comeau, S., Carpenter, R. C., Lantz, C. A., & Edmunds, P. J. (2016). Parameterization of the response of calcification to temperature and pCO₂ in the coral *Acropora pulchra* and the alga *Lithophyllum kotschyannum*. *Coral Reefs*, 35(3), 929–939. doi:[10.1007/s00338-016-1425-0](https://doi.org/10.1007/s00338-016-1425-0)

Related Research

Shaw, E. C., Carpenter, R. C., Lantz, C. A., & Edmunds, P. J. (2016). Intraspecific variability in the response to ocean warming and acidification in the scleractinian coral *Acropora pulchra*. *Marine Biology*, 163(10). doi:[10.1007/s00227-016-2986-8](https://doi.org/10.1007/s00227-016-2986-8)

Results

Stimson, J., & Kinzie, R. A. (1991). The temporal pattern and rate of release of zooxanthellae from the reef coral *Pocillopora damicornis* (Linnaeus) under nitrogen-enrichment and control conditions. *Journal of Experimental Marine Biology and Ecology*, 153(1), 63–74. doi:[10.1016/S0022-0981\(05\)80006-1](https://doi.org/10.1016/S0022-0981(05)80006-1) [https://doi.org/10.1016/S0022-0981\(05\)80006-1](https://doi.org/10.1016/S0022-0981(05)80006-1)

Methods

[[table of contents](#) | [back to top](#)]

Parameters

Parameter	Description	Units
site	Location of experiment; MCR is shorthand for Moorea Coral Reef Long-Term Ecological Research site	unitless
lat	Latitude of sampling location	decimal degrees
lon	Longitude of sampling location; west is negative	decimal degrees
sample_id	Sample identification number	unitless
gn_ambient	Surface-area normalized calcification rate in the first 21-day "ambient" CO ₂ treatment	milligrams calcium carbonate per centimeter per day (mg CaCO ₃ cm ⁻² d ⁻¹)
gn_high	Surface-area normalized calcification rate in the second 21-day "high" CO ₂ treatment	milligrams calcium carbonate per centimeter per day (mg CaCO ₃ cm ⁻² d ⁻¹)
delta_gn	Change in the surface-area normalized calcification rate between the two treatments	milligrams calcium carbonate per centimeter per day (mg CaCO ₃ cm ⁻² d ⁻¹)

[[table of contents](#) | [back to top](#)]

Deployments

MCR Edmunds

Website	https://www.bco-dmo.org/deployment/640059
Platform	Richard B Gump Research Station - Moorea LTER
Start Date	2010-01-01
End Date	2016-12-31
Description	Ongoing studies on corals

[[table of contents](#) | [back to top](#)]

Project Information

Moorea Coral Reef Long-Term Ecological Research site (MCR LTER)

Website: <http://mcr.lternet.edu/>

Coverage: Island of Moorea, French Polynesia

From <http://www.lternet.edu/sites/mcr/> and <http://mcr.lternet.edu/>:

The Moorea Coral Reef LTER site encompasses the coral reef complex that surrounds the island of Moorea, French Polynesia (17°30'S, 149°50'W). Moorea is a small, triangular volcanic island 20 km west of Tahiti in the Society Islands of French Polynesia. An offshore barrier reef forms a system of shallow (mean depth ~ 5-7 m), narrow (~0.8-1.5 km wide) lagoons around the 60 km perimeter of Moorea. All major coral reef types (e.g., fringing reef, lagoon patch reefs, back reef, barrier reef and fore reef) are present and accessible by small boat.

The MCR LTER was established in 2004 by the US National Science Foundation (NSF) and is a partnership between the University of California Santa Barbara and California State University, Northridge. MCR researchers include marine scientists from the UC Santa Barbara, CSU Northridge, UC Davis, UC Santa Cruz, UC San Diego, CSU San Marcos, Duke University and the University of Hawaii. Field operations are conducted from the UC Berkeley Richard B. Gump South Pacific Research Station on the island of Moorea, French Polynesia.

MCR LTER Data: The Moorea Coral Reef (MCR) LTER data are managed by and available directly from the MCR project data site URL shown above. The datasets listed below were collected at or near the MCR LTER sampling locations, and funded by NSF OCE as ancillary projects related to the MCR LTER core research themes.

This project is supported by continuing grants with slight name variations:

- LTER: Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR II - Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR IIB: Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR III: Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR IV: Long-Term Dynamics of a Coral Reef Ecosystem

Collaborative Research: Ocean Acidification and Coral Reefs: Scale Dependence and Adaptive Capacity (OA coral adaptation)

Website: <http://mcr.lternet.edu>

Coverage: Moorea, French Polynesia

Extracted from the NSF award abstract:

This project focuses on the most serious threat to marine ecosystems, Ocean Acidification (OA), and addresses the problem in the most diverse and beautiful ecosystem on the planet, coral reefs. The research utilizes Moorea, French Polynesia as a model system, and builds from the NSF investment in the Moorea Coral Reef Long Term Ecological Research Site (LTER) to exploit physical and biological monitoring of coral reefs as a context for a program of studies focused on the ways in which OA will affect corals, calcified algae, and coral reef ecosystems. The project builds on a four-year NSF award with research in five new directions: (1) experiments of year-long duration, (2) studies of coral reefs to 20-m depth, (3) experiments in which carbon dioxide will be administered to plots of coral reef underwater, (4) measurements of the capacity of coral reef organisms to change through evolutionary and induced responses to improve their resistance to OA, and (5) application of emerging theories to couple studies of individual organisms to studies of whole coral reefs. Broader impacts will accrue through a better understanding of the ways in which OA will affect coral reefs that are the poster child for demonstrating climate change effects in the marine environment, and which provide income, food, and coastal protection to millions of people living in coastal areas, including in the United States.

This project focuses on the effects of Ocean Acidification on tropical coral reefs and builds on a program of research results from an existing 4-year award, and closely interfaces with the technical, hardware, and information infrastructure provided through the Moorea Coral Reef (MCR) LTER. The MCR-LTER, provides an unparalleled opportunity to partner with a study of OA effects on a coral reef with a location that arguably is better instrumented and studied in more ecological detail than any other coral reef in the world. Therefore, the results can be both contextualized by a high degree of ecological and physical relevance, and readily integrated into emerging theory seeking to predict the structure and function of coral reefs in warmer and more acidic future oceans. The existing award has involved a program of study in Moorea that has focused mostly on short-term organismic and ecological responses of corals and calcified algae, experiments conducted in mesocosms and flumes, and measurements of reef-scale calcification. This new award involves three new technical advances: for the first time, experiments will be conducted of year-long duration in replicate outdoor flumes; CO₂ treatments will be administered to fully intact reef ecosystems in situ using replicated underwater flumes; and replicated common garden cultivation techniques will be used to explore within-species genetic variation in the response to OA conditions. Together, these tools will be used to support research on corals and calcified algae in three thematic areas: (1) tests for long-term (1 year) effects of OA on growth, performance, and fitness, (2) tests for depth-dependent effects of OA on reef communities at 20-m depth where light regimes are attenuated compared to shallow water, and (3) tests for beneficial responses to OA through intrinsic, within-species genetic variability and phenotypic plasticity. Some of the key experiments in these thematic areas will be designed to exploit integral projection models (IPMs) to couple organism with community responses, and to support the use of the metabolic theory of ecology (MTE) to address scale-dependence of OA effects on coral reef organisms and the function of the communities they build.

The following publications and data resulted from this project:

Comeau S, Carpenter RC, Lantz CA, Edmunds PJ. (2016) Parameterization of the response of calcification to temperature and pCO₂ in the coral *Acropora pulchra* and the alga *Lithophyllum kotschyannum*. *Coral Reefs* 2016. DOI [10.1007/s00338-016-1425-0](https://doi.org/10.1007/s00338-016-1425-0).
[calcification rates](#) (2014)
[calcification rates](#) (2010)

Comeau, S., Carpenter, R.C., Edmunds, P.J. (2016) Effects of pCO₂ on photosynthesis and respiration of tropical scleractinian corals and calcified algae. *ICES Journal of Marine Science* doi:[10.1093/icesjms/fsv267](https://doi.org/10.1093/icesjms/fsv267).
[respiration and photosynthesis I](#)
[respiration and photosynthesis II](#)

Evensen, N.R. & Edmunds P. J. (2016) Interactive effects of ocean acidification and neighboring corals on the growth of *Pocillopora verrucosa*. *Marine Biology*, 163:148.
doi: [10.1007/s00227-016-2921-z](https://doi.org/10.1007/s00227-016-2921-z)
[coral growth](#)
[seawater chemistry](#)
[coral colony interactions](#)

[[table of contents](#) | [back to top](#)]

Program Information


Long Term Ecological Research network (LTER)

Website: <http://www.lternet.edu/>

Coverage: United States

adapted from <http://www.lternet.edu/>

The National Science Foundation established the LTER program in 1980 to support research on long-term ecological phenomena in the United States. The Long Term Ecological Research (LTER) Network is a collaborative effort involving more than 1800 scientists and students investigating ecological processes over long temporal and broad spatial scales. The LTER Network promotes synthesis and comparative research across sites and ecosystems and among other related national and international research programs. The LTER research sites represent diverse ecosystems with emphasis on different research themes, and cross-site communication, network publications, and research-planning activities are coordinated through the LTER Network Office.



Site Codes

AND	Andrews Forest LTER
ARC	Arctic LTER
BES	Baltimore Ecosystem Stu
BLE	Beaufort Lagoon Ecosystems LTER
BNZ	Bonanza Creek LTER
CCE	California Current Ecosystem LTER
CDR	Cedar Creek Ecosystem Science Reserve
CAP	Central Arizona- Phoenix LTER
CWT	Coweeta LTER
FCE	Florida Coastal Everglades LTER
GCE	Georgia Coastal Ecosystems LTER
HFR	Harvard Forest LTER
HBR	Hubbard Brook LTER
JRN	Jornada Basin LTER
KBS	Kellogg Biological Station LTER
KNZ	Konza Prairie LTER
LUQ	Luquillo LTER
MCM	McMurdo Dry Valleys LT
MCR	Moorea Coral Reef LTER
NWT	Niwot Ridge LTER
NTL	North Temperate Lakes I
NES	Northeast U.S. Shelf LTER
NGA	Northern Gulf of Alaska I
PAL	Palmer Antarctica LTER
PIE	Plum Island Ecosystems LTER
SBC	Santa Barbara Coastal L
SEV	Sevilleta LTER
VCR	Virginia Coast Reserve L

2017 LTER research site map obtained from <https://lternet.edu/site/lter-network/>

Science, Engineering and Education for Sustainability NSF-Wide Investment (SEES): Ocean Acidification (formerly CRI-OA) (SEES-OA)

Website: https://www.nsf.gov/funding/pgm_summ.jsp?pims_id=503477

Coverage: global

NSF Climate Research Investment (CRI) activities that were initiated in 2010 are now included under Science, Engineering and Education for Sustainability NSF-Wide Investment (SEES). SEES is a portfolio of activities that highlights NSF's unique role in helping society address the challenge(s) of achieving sustainability. Detailed information about the SEES program is available from NSF (https://www.nsf.gov/funding/pgm_summ.jsp?pims_id=504707).

In recognition of the need for basic research concerning the nature, extent and impact of ocean acidification on oceanic environments in the past, present and future, the goal of the SEES: OA program is to understand (a) the chemistry and physical chemistry of ocean acidification; (b) how ocean acidification interacts with processes at the organismal level; and (c) how the earth system history informs our understanding of the effects of ocean acidification on the present day and future ocean.

Solicitations issued under this program:

[NSF 10-530](#), FY 2010-FY2011

[NSF 12-500](#), FY 2012

[NSF 12-600](#), FY 2013

[NSF 13-586](#), FY 2014

NSF 13-586 was the final solicitation that will be released for this program.

PI Meetings:

[1st U.S. Ocean Acidification PI Meeting](#)(March 22-24, 2011, Woods Hole, MA)
[2nd U.S. Ocean Acidification PI Meeting](#)(Sept. 18-20, 2013, Washington, DC)
 3rd U.S. Ocean Acidification PI Meeting (June 9-11, 2015, Woods Hole, MA - Tentative)

NSF media releases for the Ocean Acidification Program:

[Press Release 10-186 NSF Awards Grants to Study Effects of Ocean Acidification](#)

[Discovery Blue Mussels "Hang On" Along Rocky Shores: For How Long?](#)

[Discovery nsf.gov - National Science Foundation \(NSF\) Discoveries - Trouble in Paradise: Ocean Acidification This Way Comes - US National Science Foundation \(NSF\)](#)

[Press Release 12-179 nsf.gov - National Science Foundation \(NSF\) News - Ocean Acidification: Finding New Answers Through National Science Foundation Research Grants - US National Science Foundation \(NSF\)](#)

[Press Release 13-102 World Oceans Month Brings Mixed News for Oysters](#)

[Press Release 13-108 nsf.gov - National Science Foundation \(NSF\) News - Natural Underwater Springs Show How Coral Reefs Respond to Ocean Acidification - US National Science Foundation \(NSF\)](#)

[Press Release 13-148 Ocean acidification: Making new discoveries through National Science Foundation research grants](#)

[Press Release 13-148 - Video nsf.gov - News - Video - NSF Ocean Sciences Division Director David Conover answers questions about ocean acidification. - US National Science Foundation \(NSF\)](#)

[Press Release 14-010 nsf.gov - National Science Foundation \(NSF\) News - Palau's coral reefs surprisingly resistant to ocean acidification - US National Science Foundation \(NSF\)](#)

[Press Release 14-116 nsf.gov - National Science Foundation \(NSF\) News - Ocean Acidification: NSF awards \\$11.4 million in new grants to study effects on marine ecosystems - US National Science Foundation \(NSF\)](#)

[[table of contents](#) | [back to top](#)]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-1415300
NSF Division of Ocean Sciences (NSF OCE)	OCE-1415268

[[table of contents](#) | [back to top](#)]