

ADCP water column data from a cruise inside Coos Bay in March 2014 on R/V Pluteus

Website: <https://www.bco-dmo.org/dataset/686558>

Data Type: Cruise Results

Version: 28 March 2017

Version Date: 2017-03-28

Project

» [Spawning During Storms and the Subsequent Dispersal and Settlement of Coastal Invertebrate Larvae](#)
(Storm larvae)

Contributors	Affiliation	Role
Sutherland, David A.	University of Oregon	Principal Investigator
Shanks, Alan L.	University of Oregon (OIMB)	Co-Principal Investigator
Rauch, Shannon	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Table of Contents

- [Coverage](#)
- [Dataset Description](#)
 - [Methods & Sampling](#)
 - [Data Processing Description](#)
- [Data Files](#)
- [Parameters](#)
- [Instruments](#)
- [Deployments](#)
- [Project Information](#)
- [Funding](#)

Coverage

Spatial Extent: Lat:43.3677 Lon:-124.3129

Temporal Extent: 2014-03-10

Dataset Description

ADCP water column data from a cruise inside Coos Bay in March 2014.

There is 1 combined navigation and configuration file from each cruise date, along with three separate files containing each component of velocity (u,v,w) for a total of 4 files per cruise (in this case, just 1 cruise).

Methods & Sampling

These data were obtained from ship-mounted 600 kHz RDI Workhorse ADCP (serial number is included in each config data file header). The times, locations, and other configuration data are saved within the config data file.

Data Processing Description

The data were collected in real-time using VMDAS software, and then processed using standard MATLAB scripts. The data submitted here include all data recorded with minimal processing (i.e. no thresholding was done, or any attempt to remove surface/bottom effects).

[[table of contents](#) | [back to top](#)]

Data Files

File
2014_ADCP.csv (Comma Separated Values (.csv), 838 bytes) MD5:bbcad6e4473af15d4ad8888c6f29bb08
Primary data file for dataset ID 686558

[[table of contents](#) | [back to top](#)]

Parameters

Parameter	Description	Units
description	Description of the file	unitless
date	Date of the cruise; formatted as yyyy-mm-dd.	unitless
mean_lon	Mean longitude; obtained from the file header.	decimal degrees
mean_lat	Mean latitude; obtained from the file header.	decimal degrees
file_size	File size; kb=kilobytes	unitless
file	File name and link	unitless

[[table of contents](#) | [back to top](#)]

Instruments

Dataset-specific Instrument Name	600 kHz RDI Workhorse ADCP
Generic Instrument Name	Acoustic Doppler Current Profiler
Dataset-specific Description	These data were obtained from ship-mounted 600 kHz RDI Workhorse ADCP (serial number is included in each config data file header).
Generic Instrument Description	The ADCP measures water currents with sound, using a principle of sound waves called the Doppler effect. A sound wave has a higher frequency, or pitch, when it moves to you than when it moves away. You hear the Doppler effect in action when a car speeds past with a characteristic building of sound that fades when the car passes. The ADCP works by transmitting "pings" of sound at a constant frequency into the water. (The pings are so highly pitched that humans and even dolphins can't hear them.) As the sound waves travel, they ricochet off particles suspended in the moving water, and reflect back to the instrument. Due to the Doppler effect, sound waves bounced back from a particle moving away from the profiler have a slightly lowered frequency when they return. Particles moving toward the instrument send back higher frequency waves. The difference in frequency between the waves the profiler sends out and the waves it receives is called the Doppler shift. The instrument uses this shift to calculate how fast the particle and the water around it are moving. Sound waves that hit particles far from the profiler take longer to come back than waves that strike close by. By measuring the time it takes for the waves to bounce back and the Doppler shift, the profiler can measure current speed at many different depths with each series of pings. (More from WHOI instruments listing).

[[table of contents](#) | [back to top](#)]

Deployments

Pluteus2014

Website	https://www.bco-dmo.org/deployment/614689
Platform	R/V Pluteus
Start Date	2014-01-16
End Date	2014-02-24

[[table of contents](#) | [back to top](#)]

Project Information

Spawning During Storms and the Subsequent Dispersal and Settlement of Coastal Invertebrate Larvae (Storm larvae)

Coverage: Coastal waters of Coos Bay, OR

The study will address four questions concerning invertebrate spawning on the US West Coast: 1) Which nearshore benthic invertebrates spawn during winter? 2) What conditions are associated with spawning events? (Preliminary data lead the PIs to predict that most spawning will occur during periods of large waves and coastal downwelling.) 3) What is the pattern of dispersal of these winter-spawned larvae in the coastal ocean? 4) How do variations in ocean conditions during pelagic development affect delivery of larvae to the shore?

Water will be sampled daily from the seawater intake for the Oregon Institute of Marine Biology marine laboratory in Coos Bay, OR. Water is pumped at high tide when the intake samples coastal ocean water. Early larval stages will be identified by genetic barcoding and a visual ID key will be developed from individuals raised in the lab. Time series analysis will be used to test for the effects of oceanographic parameters (e.g., temperature, salinity, Chl-a, wind stress, and wave data) on spawning events indicated by the sudden appearance of zygotes or embryos. Following a spawning event, oceanographic cruises in the coastal ocean will follow the dispersal and pelagic development of the larvae and relate their distribution to coastal hydrodynamics. Using daily samples from the seawater system and settlement collectors at intertidal sample sites, the PIs will monitor the abundance of late stage larvae in the near-shore and settlement in the intertidal zone. These time series will be compared to hydrographic parameters to identify conditions favoring the maintenance of larvae in the waters adjacent to the coast and the delivery of larvae to the shore.

[[table of contents](#) | [back to top](#)]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-1259603

[[table of contents](#) | [back to top](#)]