Counts of vermetids at reefs before, during and after the die off in Moorea, French Polynesia (Vermetids Corals project)

Website: https://www.bco-dmo.org/dataset/721511

Data Type: Other Field Results

Version: 2017-10-05

Project

» <u>Spatial patterns of coral-vermetid interactions: short-term effects and long-term consequences</u> (Vermetids Corals)

Contributors	Affiliation	Role
Brown, Anya L.	University of Georgia (UGA)	Principal Investigator, Contact
Frazer, Thomas	University of Florida (UF)	Co-Principal Investigator
Osenberg, Craig	University of Georgia (UGA)	Co-Principal Investigator
Shima, Jeffrey	Victoria University of Wellington	Co-Principal Investigator
Biddle, Mathew	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Table of Contents

- Coverage
- Dataset Description
 - Methods & Sampling
 - Data Processing Description
- Data Files
- Related Publications
- <u>Parameters</u>
- <u>Instruments</u>
- <u>Deployments</u>
- Project Information
- <u>Funding</u>

Coverage

Spatial Extent: N:-17.47279 **E**:-149.78277 **S**:-17.48365 **W**:-149.84698

Temporal Extent: 2015-07-02 - 2015-10-04

Dataset Description

Counts of vermetid gastropod Ceraesignum maximum at reefs before, during and after the die off.

Related Datasets:

- Brown_et_al_2016_SimpleCounts: https://www.bco-dmo.org/dataset/721511 (The current page.)
- Brown_et_al_2016_SizeComparison: https://www.bco-dmo.org/dataset/721581
- Brown et al 2016 QuadratSurvey: https://www.bco-dmo.org/dataset/721232

Methods & Sampling

We had previously counted Ceraesignum maximum on 11 marked patch reefs on 2 July 2015. These patch reefs were 65.8 \pm 4.7 cm in height, 77.9 \pm 4.6 cm in diameter (mean \pm SE), and originally occupied by, on average, 34 living C. maximum. We did not observe any dead C. maximum at this time. Once we suspected a die-off had started, we recounted C. maximum three additional times (16 July, 24–25 July and 4 October 2015).

Data Processing Description

BCO-DMO Processing:

- added conventional header with dataset name, PI name, version date
- modified parameter names to conform with BCO-DMO naming conventions
- converted date from Mon-dd to yyyymmdd.

[table of contents | back to top]

Data Files

Brown_2016_SimpleCounts.csv(Comma Separated Values (.csv), 970 bytes) MD5:6e86275233c8a988c75c5aa09806c46b

Primary data file for dataset ID 721511

[table of contents | back to top]

Related Publications

Brown, A. L., Frazer, T. K., Shima, J. S., & Osenberg, C. W. (2016). Mass mortality of the vermetid gastropod Ceraesignum maximum. Coral Reefs, 35(3), 1027–1032. doi:10.1007/s00338-016-1438-8

Results

[table of contents | back to top]

Parameters

Parameter	Description	Units
ReefNum	ID number of reef where samples were taken	unitless
TotLive	Counts of live vermetids	unitless
Day	count from 0 of sampled days	days
PreDieOff_Live	Number of live vermetids before die off (same as day 0)	unitless
Date	Date of sampling in yyyymmdd format	unitless

[table of contents | back to top]

Instruments

Dataset- specific Instrument Name	snorkel
Generic Instrument Name	Diving Mask and Snorkel
Dataset- specific Description	Researchers snorkeled to the reef crest.
	A diving mask (also half mask, dive mask or scuba mask) is an item of diving equipment that allows underwater divers, including, scuba divers, free-divers, and snorkelers to see clearly underwater. Snorkel: A breathing apparatus for swimmers and surface divers that allows swimming or continuous use of a face mask without lifting the head to breathe, consisting of a tube that curves out of the mouth and extends above the surface of the water.

[table of contents | back to top]

Deployments

Osenberg_et_al_Moorea

Website	https://www.bco-dmo.org/deployment/644752
Platform	Osenberg et al Moorea
Start Date	2003-05-19
End Date	2015-07-12

[table of contents | back to top]

Project Information

Spatial patterns of coral-vermetid interactions: short-term effects and long-term consequences (Vermetids_Corals)

Coverage: Moorea, French Polynesia (-17.48 degrees S, -149.82 degrees W)

Description from NSF abstract:

Ecological surprises are most likely to be manifest in diverse communities where many interactions remain uninvestigated. Coral reefs harbor much of the world's biodiversity, and recent studies by the investigators suggest that one overlooked, but potentially important, biological interaction involves vermetid gastropods. Vermetid gastropods are nonmobile, tube-building snails that feed via an extensive mucus net. Vermetids reduce coral growth by up to 80%, and coral survival by as much as 60%. Because effects vary among coral taxa, vermetids may substantially alter the structure of coral communities as well as the community of fishes and invertebrates that inhabit the coral reef.

The investigators will conduct a suite of experimental and observational studies that: 1) quantify the effects of four species of vermetids across coral species to assess if species effects and responses are concordant or idiosyncratic; 2) use meta-analysis to compare effects of vermetids relative to other coral stressors and determine the factors that influence variation in coral responses; 3) determine the role of coral commensals that inhabit the branching coral, Pocillopora, and evaluate how the development of the commensal assemblage modifies the deleterious effects of vermetids; 4) determine how vermetid mucus nets affect the local environment of corals and evaluate several hypotheses about proposed mechanisms; and 5) assess the long-term implications of vermetids on coral communities and the fishes and invertebrates that depend on the coral.

Note: The Principal Investigator, Dr. Craig W. Osenberg, was at the University of Florida at the time the NSF award was granted. Dr. Osenberg moved to the University of Georgia during the summer of 2014 (<u>current contact information</u>).

[table of contents | back to top]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-1130359

[table of contents | back to top]