

Subsurface data from ABLE deployments in the upwelling region of the west coast of northern California from 2016-2018

Website: <https://www.bco-dmo.org/dataset/724215>

Data Type: Cruise Results

Version: 2

Version Date: 2019-01-30

Project

» [Collaborative Research: Field test of larval behavior on transport and connectivity in an upwelling regime \(ABLE\)](#)

| Contributors | Affiliation | Role |
|------------------------------------|---|---------------------------------|
| Morgan, Steven | University of California - Davis: Bodega Marine Laboratory (UC Davis-BML) | Principal Investigator, Contact |
| Largier, John L. | University of California - Davis: Bodega Marine Laboratory (UC Davis-BML) | Co-Principal Investigator |
| Wolcott, Donna | North Carolina State University (NCSU) | Co-Principal Investigator |
| Wolcott, Thomas G. | North Carolina State University (NCSU) | Co-Principal Investigator |
| Rauch, Shannon | Woods Hole Oceanographic Institution (WHOI BCO-DMO) | BCO-DMO Data Manager |

Abstract

Subsurface instrument data for each ABLE unit during each deployment, including environmental data records and logs of instrument actions such as pump strokes for changing buoyancy. ABLE instruments were deployed in the upwelling region of the west coast of northern California from 2016-2018.

Table of Contents

- [Coverage](#)
- [Dataset Description](#)
 - [Methods & Sampling](#)
 - [Data Processing Description](#)
- [Data Files](#)
- [Parameters](#)
- [Instruments](#)
- [Deployments](#)
- [Project Information](#)
- [Funding](#)

Coverage

Spatial Extent: N:38.41627 E:-122.9741 S:38.07565 W:-123.677519

Temporal Extent: 2016-06-06 - 2018-07-07

Dataset Description

Subsurface instrument data for each ABLE unit during each deployment, including environmental data records and logs of instrument actions such as pump strokes for changing buoyancy.

Methods & Sampling

We simulated documented behaviors using the Autonomous Behaving Lagrangian Explorer (ABLE). It can be

programmed to maintain depth or vertically migrate in response to *in-situ* variables, like the larvae under study. It can reveal quasi-Lagrangian transport of vertically migrating plankters that swim between water parcels at different depths. ABLE weighs 3 kg and is 36 cm tall, topped by a 15 cm antenna mast. It necessarily integrates water motions at and below its own scale. Consequently, it cannot mimic transport of individual plankters, nor diffusive processes at scales smaller than its own. ABLE best simulates the transport of the centroid of a cloud of plankters that is large relative to its own dimensions.

ABLE dynamically calculates its target depth from measurements of its immediate microenvironment and a behavioral model for the organism being simulated. It moves toward the new target depth at a biologically realistic velocity, permitting it to show transport consequences of adaptive behaviors in response to actual (not average) conditions and actual (not modeled) water movements. Because behavioral patterns are under the experimenter's control, ABLE can reveal effects of either known or hypothetical behavior patterns. ABLE has no structures outside the parcel of water in which it is embedded, hence no extraneous drag that would cause drift errors. Use of ABLE (unlike modeling) requires no a priori characterization of the system before the first data can be collected; immediately upon deployment it begins yielding information on how water and organisms in the system move.

Although ABLE has no extraneous drag, hence no drift errors, while embedded in the tracked water parcel, it must periodically leave that parcel and make excursions to the surface to obtain and transmit GPS fixes. A drift error is created by velocity differences (relative to the target parcel) at other depths multiplied by the time ABLE spends transiting each during a pop-up, which cannot be simply estimated in heterogeneous systems. A rule of thumb analogous to that for suspended-drogue drifters would be that ABLE must spend $<1/40$ of the time making excursions to the surface. As target (operating) depth increases, transit time to the surface increases, and hence allowable fix frequency decreases.

To facilitate tracking, it has an ultrasonic beacon that provides bearings and telemeters depth during operation at depth; when at the surface it obtains fixes from its GPS receiver and transmits the fix data by VHF radio (short range) and satellite modem (global range). The GPS fix obtained at each surface interval is logged in ABLE's data memory, even if it is not received by the Globalstar satellite system. To facilitate recovery at the sea surface, it transmits updated fixes continuously by VHF and periodically via satellite while blinking high-brightness LED beacons for visual fixes. We also command ABLE to surface for recovery by decoding ultrasonic signals while rejecting noise from surf and biota. It senses the bottom and swims up a programmed distance above the substrate.

When deployed, it uses measurements of *in-situ* variables (depth, T, S, PAR, time of day, vertical speed relative to water). It subtly adjusts buoyancy (by $< 1g$) to "swim" toward that target depth, maintaining a rate realistic for the organism being simulated (0 to >10 cm/s). It periodically pops to the surface to obtain a GPS fix and transmit it by VHF, ultrasonic pinger and satellite (or cell phone) modem. Along its entire trajectory, it logs *in-situ* measurements; the suite of variables and frequency of logging are user-selectable. On the bench, ABLE communicates by wireless Bluetooth with a host computer or smart phone and presents a menu for downloading logged data, testing and calibrating sensors, altering data logging parameters, or even rewriting the entire program. Endurance during deployments is about 2 wk with 7 NiMH "D" cells, depending on frequency of excursions to the surface and pumping of ballast to hoist antennas.

Data Processing Description

Data has been manually reformatted to accommodate columns and rows.

Flag descriptions:

- 0 - no QC,
- 1 - good,
- 2 - unreliable,
- 3 - bad,
- 4 - changed,
- 5 - no data.

BCO-DMO Processing:

- modified parameter names to conform with BCO-DMO naming conventions (replaced . with _);
- replaced blanks (missing data) and NA with "nd";
- converted date/time fields to ISO 8601 format;
- 30-Jan-2019: appended the 2018 data to 2016-2017 data.

Data Files

| File |
|---|
| ABLE_subsurface.csv (Comma Separated Values (.csv), 264.60 MB) MD5:5c24eb5b50c2af324aa1d8fc8821968b |
| Primary data file for dataset ID 724215 |

Parameters

| Parameter | Description | Units |
|-------------------|--|-----------------|
| Deployment | Date of deployment YY-MM-DD | unitless |
| name | Unique identifier used for naming individual instruments | unitless |
| Migration_model | Vertical swimming behavior program (DVM = Diel Vertical Migration where ABLE is at the deeper Migration_depth_2 for 14hrs45min during day and at the shallower Migration_depth_1 for 9hrs15min at night; Constant = constant depth maintained) | unitless |
| Migration_depth_1 | Shallower (night time) migration depth in meters for DVM behaviors OR migration depth in meters for constant behaviors | meters |
| Migration_depth_2 | Deeper (day time) migration depth in meters for DVM behaviors OR migration depth in meters for constant behaviors | meters |
| CUMSECS | cumulative seconds | seconds |
| Date.UTC | Date and time (UTC) formatted to ISO 8601 standard | unitless |
| Date_Local | Date and time (local; Pacific Time) formatted to ISO 8601 standard | unitless |
| Depth | current depth in meters (0.00 m) | meters |
| Target_Z | target depth in meters (0.00 m) | meters |
| Z_Bot | assumed bottom depth in meters (0.00 m) | meters |
| Temp | temperature in degrees centigrade (0.00 °C) | degrees Celsius |
| | | |

| | | |
|------------------|--|--|
| PAR | photosynthetically active radiation in mol m ⁻² s ⁻¹ (0) | moles per square meter per second (mol m ⁻² s ⁻¹) |
| Salin | salinity in practical salinity scale (0.00 PSU) | practical salinity units |
| Ang_VelX | angular velocity in x direction (0) | ? |
| Ang_VelY | angular velocity in y direction (0) | ? |
| Ang_VelZ | angular velocity in z direction (0) | ? |
| Pump_plus | number of pump strokes in a downward direction | unitless |
| Pump_minus | number of pump strokes in an upward direction | unitless |
| Gnd_switch_count | number of consecutive times grounding switch is activated | unitless |
| fix_interval | Time difference (hours) between fixes OR default of 4 for first fix (this interval value is used to compute mean aspe, xspe, spe, dir values in subsequent columns). | hours |
| aspe | alongshore windspeed (meters per second, positive is North) at Bodega Marine Laboratory sensor (boon.bml.edu) | meters per second (m/s) |
| xspe | cross-shore windspeed (meters per second, positive is East) at Bodega Marine Laboratory sensor (boon.bml.edu) | meters per second (m/s) |
| spe | wind speed (meters per second) at Bodega Marine Laboratory sensor (boon.bml.edu) | meters per second (m/s) |
| dir | wind direction (degrees True) at Bodega Marine Laboratory sensor (boon.bml.edu) | degrees |
| QA_flag | Quality assurance flag (0 means no QA done, 1 means QA pass, 2 means QA fail) | unitless |

[[table of contents](#) | [back to top](#)]

Instruments

| | |
|---|--|
| Dataset-specific Instrument Name | ABLE |
| Generic Instrument Name | Autonomous Behaving Lagrangian Explorer |
| Generic Instrument Description | The Autonomous Behaving Lagrangian Explorer (ABLE), designed by Tom Wolcott, is a biomimetic robotic drifter that senses in situ environmental stimuli (e.g., variations in PAR, pressure, salinity, or temperature) and can be programmed to respond to these cues with vertical migration behavior like that of the planktonic organism of interest. |

[[table of contents](#) | [back to top](#)]

Deployments

20160606_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/724076 |
| Platform | R/V Cape Horn |
| Start Date | 2016-06-06 |
| End Date | 2016-06-07 |

20160616_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/724080 |
| Platform | R/V Cape Horn |
| Start Date | 2016-06-16 |
| End Date | 2016-06-17 |

20160621_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/724113 |
| Platform | R/V Cape Horn |
| Start Date | 2016-06-21 |
| End Date | 2016-06-22 |

20160627_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/724121 |
| Platform | R/V Cape Horn |
| Start Date | 2016-06-27 |
| End Date | 2016-06-27 |

20160628_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/724084 |
| Platform | R/V Cape Horn |
| Start Date | 2016-06-28 |
| End Date | 2016-06-28 |

20160707_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/724100 |
| Platform | R/V Cape Horn |
| Start Date | 2016-07-07 |
| End Date | 2016-07-07 |

20160809_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/724096 |
| Platform | R/V Cape Horn |
| Start Date | 2016-08-09 |
| End Date | 2016-08-10 |

20170510_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/724109 |
| Platform | R/V Cape Horn |
| Start Date | 2017-05-10 |
| End Date | 2017-05-11 |

20170621_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/724088 |
| Platform | R/V Cape Horn |
| Start Date | 2017-06-21 |
| End Date | 2017-06-21 |

20170622_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/724092 |
| Platform | R/V Cape Horn |
| Start Date | 2017-06-22 |
| End Date | 2017-06-23 |

20170626_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/724104 |
| Platform | R/V Cape Horn |
| Start Date | 2017-06-26 |
| End Date | 2017-06-28 |

20170627_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/724117 |
| Platform | R/V Cape Horn |
| Start Date | 2017-06-27 |
| End Date | 2017-06-29 |

20180326_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/754369 |
| Platform | R/V Cape Horn |
| Start Date | 2018-03-26 |
| End Date | 2018-03-27 |

20180402_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/754373 |
| Platform | R/V Cape Horn |
| Start Date | 2018-04-02 |
| End Date | 2018-04-03 |

20180416_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/754376 |
| Platform | R/V Cape Horn |
| Start Date | 2018-04-16 |
| End Date | 2018-04-18 |

20180419_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/754379 |
| Platform | R/V Cape Horn |
| Start Date | 2018-04-19 |
| End Date | 2018-04-20 |

20180501_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/754382 |
| Platform | R/V Cape Horn |
| Start Date | 2018-05-01 |
| End Date | 2018-05-02 |

20180521_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/754385 |
| Platform | R/V Cape Horn |
| Start Date | 2018-05-21 |
| End Date | 2018-05-22 |

20180522_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/754388 |
| Platform | R/V Cape Horn |
| Start Date | 2018-05-22 |
| End Date | 2018-05-23 |

20180531_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/754391 |
| Platform | R/V Cape Horn |
| Start Date | 2018-05-31 |
| End Date | 2018-06-01 |

20180606_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/754394 |
| Platform | R/V Cape Horn |
| Start Date | 2018-06-06 |
| End Date | 2018-06-07 |

20180614_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/754397 |
| Platform | R/V Cape Horn |
| Start Date | 2018-06-14 |
| End Date | 2018-06-15 |

20180626_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/754418 |
| Platform | R/V Cape Horn |
| Start Date | 2018-06-26 |
| End Date | 2018-06-27 |

20180620_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/754400 |
| Platform | R/V Cape Horn |
| Start Date | 2018-06-20 |
| End Date | 2018-06-22 |

20180628_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/754444 |
| Platform | R/V Cape Horn |
| Start Date | 2018-06-28 |
| End Date | 2018-06-29 |

20180702_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/754447 |
| Platform | R/V Cape Horn |
| Start Date | 2018-07-02 |
| End Date | 2018-07-03 |

20180705_CapeHorn

| | |
|-------------------|---|
| Website | https://www.bco-dmo.org/deployment/754450 |
| Platform | R/V Cape Horn |
| Start Date | 2018-07-05 |
| End Date | 2018-07-06 |

[[table of contents](#) | [back to top](#)]

Project Information

Collaborative Research: Field test of larval behavior on transport and connectivity in an upwelling regime (ABLE)

Coverage: Upwelling region, West coast of USA, Northern California

Description from NSF award abstract:

The majority of larvae of coastal marine species are planktonic and generally weak swimmers. Thus, they are thought to be dispersed widely by coastal currents. However, there is accumulating evidence that their behavior can strongly influence their transport: some remain within estuaries, while others make true

migrations between adult and larval habitats, even out to the edge of the continental shelf and back. Rates and directions of larval transport are thought to be determined largely by the timing, duration, and amplitude of vertical migrations and the mean depth that larvae occupy in stratified flows. The PIs propose to provide one of the first direct tests of how behavior affects across-shelf and alongshore transport using biomimetic drifters. The study will be conducted in a region of persistent upwelling, where strong currents are widely believed to overwhelm larval swimming and limit recruitment to adult populations.

Knowledge of underlying mechanisms regulating larval transport is central to understanding ecology and evolution in the sea and anticipating the impacts of climate change on marine populations and communities. The proposed research will provide the first experimental field-test of how larval behavior affects the rates, directions and distances of transport and population connectivity in an upwelling regime. The PIs will test three hypotheses:

1. Residence below the wind-driven surface layer and vertical migrations below that layer keep larvae closer to shore compared to residence in the surface layer or larvae without depth preferences and vertical migration.
2. Residence at depth enhances northward transport near shore, and vertical migration leads to decreased alongshore mean displacement but increased variance for a group.
3. Depth preferences and vertical migrations have pronounced effects on retention and transport of plankton in upwelling regions.

The study will compare direct measurements from mimetic drifters with observed and modeled cross-shelf larval distributions, and with modeled alongshore transport. Results will be broadly applicable to upwelling regimes along the western margins of continents, and the approach can be applied to non-upwelling systems throughout the world.

[[table of contents](#) | [back to top](#)]

Funding

| Funding Source | Award |
|--|-----------------------------|
| NSF Division of Ocean Sciences (NSF OCE) | OCE-1334448 |
| NSF Division of Ocean Sciences (NSF OCE) | OCE-1334553 |

[[table of contents](#) | [back to top](#)]