Outputs from four ocean models describing the waters of the Belizean Barrier Reef.

Website: https://www.bco-dmo.org/dataset/729886

Data Type: model results

Version: 1

Version Date: 2018-03-08

Project

» An Integrative Investigation of Population Connectivity Using a Coral Reef Fish (Elacatinus Dispersal I)

Contributors	Affiliation	Role
Buston, Peter	Boston University (BU)	Principal Investigator, Contact
Lindo-Atichati, David	University of Miami Rosenstiel School of Marine and Atmospheric Science (UM-RSMAS)	Co-Principal Investigator, Contact
Paris-Limouzy, Claire B.	University of Miami Rosenstiel School of Marine and Atmospheric Science (UM-RSMAS)	Co-Principal Investigator
Ake, Hannah	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Table of Contents

- Coverage
- Dataset Description
 - Methods & Sampling
 - Data Processing Description
- Data Files
- Related Publications
- Parameters
- **Deployments**
- Project Information
- Funding

Coverage

Spatial Extent: Lat:16.95401 Lon:-88.036985

Dataset Description

Outputs from four ocean models.

LOLA and HOLA model dataset parameters:

Name	Description	Units
Longitude	Longitude	degrees east
Latitude	Latitude	degrees north
Time	Time	days since 1900-12-31
zu	Eastward seawater velocity	meters per second
zv	Northward seawater velocity	meters per second
zw	Downward seawater velocity	meters per second

HOHA and HOHAT model dataset parameters:

Name	Description	Units
Longitude	Longitude	degrees east
Latitude	Latitude	degrees north
МТ	Time	days since 1900-12-31 00:00:00
u	Eastward seawater velocity	meters per second
v	Northward seawater velocity	meters per second
w_velocity	Downward seawater velocity	meters per second
water_temp	Seawater temperature	degrees Celsius
salinity	Seawater salinity	PSU
pot_density	Seawater potential density	sigma
bathymetry	Bathymetry	meters
ilt	Ocean mixed layer thickness	meters
mlt	Ocean mixed layer thickness	meters
ssh	Sea surface elevation	meters

Methods & Sampling

Methodology:

Methodology is explained in Lindo-Atichati et al. (2016). As a brief summary, we constructed a hierarchy of four ocean-atmosphere models operating at multiple scales within a 1×1 deg domain of the Belizean Barrier Reef. The four models are: 1) A Low-resolution Ocean model and Low-resolution Atmospheric model (LOLA); (2) A High-resolution Ocean model and Low-resolution Atmospheric model (HOLA); (3) A High-resolution Ocean model and High-resolution Atmospheric model and High-resolution Ocean model and High-resolution Atmospheric model with Tidal forcing (HOHAT). The ocean models are based on the HYbrid Coordinate Ocean Model (HYCOM, Bleck, 2002; Chassignet et al., 2003; Wallcraft et al., 2009). The atmospheric models are based on the non-hydrostatic Weather Research and Forecasting (WRF) and on the Navy Operational Global Atmospheric Prediction System (NOGAPS). The drifter data was from surface drifters provided by the Consortium for Advanced Research on Transport of Hydrocarbon in the Environment (CARTHE).

Sampling and analytical procedures:

From May 30 to July 2 of 2013, 55 drifter deployments were made at 1–5 km off a 40 km stretch of the BBR centered on South Water Caye (16.82 deg N, 87.97 deg W) (Fig. 2 b and c of <u>Lindo-Atichati et al (2016)</u>). The hierarchy of four ocean-atmosphere models were used for the larger area from 16.35 to 17.30 deg N, and from 87.48 to 88.47 deg W (Fig. 1 of <u>Lindo-Atichati et al (2016)</u>).

Data Processing Description

Data was processed with AWK IEEE Std 1003.1-2008 for data extraction, with Matlab version R2014a for data manipulation and statistical analysis, and with Generic Mapping Tools GMT version 4 for mapping.

BCO-DMO Data Processing Notes:

- -Added decimal degree lat and lon to data
- -Reformatted dates to yyyy/mm/dd
- -Reformatted column names to comply with naming standards

[table of contents | back to top]

Data Files

File

LOLA.tar.zip

filename: 729886/LOLA.tar.zip

(ZIP Archive (ZIP), 41.65 MB)

 ${\tt MD5:c9e76fb70a24a8b8278a9f590a74fbdb}$

A Low-resolution Ocean model and Low-resolution Atmospheric model (LOLA)

HOLA.tar.zip

filename: 729886/HOLA.tar.zip

(ZIP Archive (ZIP), 3.33 GB) MD5:4c63fb9fa193b90509a8c55331a46c33

A High-resolution Ocean model and Low-resolution Atmospheric model (HOLA)

HOHAT.tar.zip

filename: 729886/HOHAT.tar.zip

(ZIP Archive (ZIP), 11.41 GB) MD5:e2eca5b26684fd63750ed10551b37387

A High-resolution Ocean model and High-resolution Atmospheric model with Tidal forcing (HOHAT)

HOHA.tar.zip

filename: 729886/HOHA.tar.zip

(ZIP Archive (ZIP), 11.90 GB) MD5:70d67f5ea4dd827240022f7970036968

A High-resolution Ocean model and High-resolution Atmospheric model (HOHA)

[table of contents | back to top]

Related Publications

Lindo-Atichati, D., Curcic, M., Paris, C. B., & Buston, P. M. (2016). Description of surface transport in the region of the Belizean Barrier Reef based on observations and alternative high-resolution models. Ocean Modelling, 106, 74–89. doi:10.1016/j.ocemod.2016.09.010

Methods

[table of contents | back to top]

Parameters

Parameters for this dataset have not yet been identified

[table of contents | back to top]

Deployments

Belize_2010

Website	https://www.bco-dmo.org/deployment/704795	
Platform	lab Buston	
Description	Buston lab expeditions to Belize beginning in 2010.	

[table of contents | back to top]

Project Information

An Integrative Investigation of Population Connectivity Using a Coral Reef Fish (Elacatinus Dispersal I)

Website: http://people.bu.edu/buston/lab/Welcome.html

Coverage: Belizean Barrier Reef System (16.803 degrees North 88.096 degrees West)

Understanding the patterns, causes and consequences of larval dispersal is a major goal of 21st century marine ecology. Patterns of dispersal determine the rates of larval exchange, or connectivity, between populations. Both physical factors (e.g., water movement) and biological factors (e.g., larval behavior) cause variation in population connectivity. Population connectivity, in turn, has major consequences for all aspects of an organism's biology, from individual behavior to metapopulation dynamics, and from evolution within metapopulations to the origin and extinction of species. Further, understanding population connectivity is critical for the design of effective networks of marine reserves, creation of vital tools in conservation, and the development of sustainable fisheries.

Over the last decade, three methods, each of which tells something slightly different, have emerged as leading contenders to provide the greatest insights into population connectivity. First, coupled biophysical models make assumptions regarding water flow, larval behavior and ecology, to predict population connectivity. Second, indirect genetic methods use spatial distributions of allele frequencies to infer population connectivity. Third, direct genetic methods use parentage analyses, tracing recruits to specific adults, to measure population connectivity. Despite advances, lack of integration means that we do not know the predictive skill of biophysical models, or the extent to which patterns of dispersal predict spatial genetic structure. The overall objective of this proposal is to conduct an integrated investigation of population connectivity, using all three methods in one tractable system: the neon goby, Elacatinus lori, on the Belizean Barrier Reef. There are three motives for this choice of study system: i) fourteen highly polymorphic microsatellite loci have been developed, facilitating the assignment of recruits to parents using parentage analyses and the measurement of dispersal; ii) the physical oceanography of the Belizean Barrier Reef is well-studied, facilitating the development and testing of coupled biophysical models; and, iii) E. lori has a relatively small biogeographic range, facilitating analysis of the spatial distribution of allele frequencies throughout its range.

Broader Impacts. The grant will support one postdoc and two graduate students who will be trained in scientific diving, marine fieldwork, population genetics, biophysical modeling, and mathematical modeling, and will gain collaborative research experience. PIs will incorporate research findings in their courses, which cover all these topics. The grant will also broaden participation of under-represented groups by supporting six undergraduates from groups traditionally underrepresented in STEM fields. In each year of the project there will be an All Participants meeting to reinforce the network of participants. A project website will be developed, in English and Spanish, on the theme of larval dispersal and population connectivity. This will include a resource for K-12 marine science educators developed in collaboration with a marine science educator. All PIs will ensure that results are broadly disseminated to the scientific community and general public via appropriate forms of media.

[table of contents | back to top]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-1260424

[table of contents | back to top]