

Particulate organic carbon concentrations in seawater samples collected from Project "DaVINci" incubations in the Gulf of Naples, Italy from April to May 2022

Website: <https://www.bco-dmo.org/dataset/985389>

Data Type: Other Field Results, experimental

Version: 1

Version Date: 2025-11-04

Project

» [Shunt or shuttle? Nutrient-driven biogeochemical consequences of diatom host-virus interactions](#) (Shunt or Shuttle)

Contributors	Affiliation	Role
Thamatrakoln, Kimberlee	Rutgers University	Principal Investigator
Rauch, Shannon	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Abstract

Particulate organic carbon (POC) concentration was measured in seawater samples collected from nutrient amendment experiments conducted on surface water collected at the Long-Term Ecological Monitoring Station, MareChiara, in the Gulf of Naples, Italy, between April 20 and May 19, 2022. These incubations were part of a field study on "Diatom Virus Infection of Natural Communities" (DaVINci) and were aimed at understanding the role of silicon limitation in driving diatom viral infection.

Table of Contents

- [Coverage](#)
- [Dataset Description](#)
 - [Methods & Sampling](#)
 - [BCO-DMO Processing Description](#)
- [Related Publications](#)
- [Parameters](#)
- [Instruments](#)
- [Project Information](#)
- [Funding](#)

Coverage

Location: Station MareChiara, Gulf of Naples, Italy

Spatial Extent: **Lat:**40.81667 **Lon:**14.25

Temporal Extent: 2022-04-30 - 2022-05-19

Methods & Sampling

Seawater was transferred from incubation bags to acid-cleaned bottles using a siphon and acid-cleaned tubing. Samples for particulate organic carbon concentration (POC) determination were filtered onto pre-combusted 25-millimeter (mm) GF/F filters and stored at -20 degrees Celsius (°C). The analyses are carried out using a Thermo Scientific Flash EA 1112 elemental analyzer (Thermo Fisher Scientific) following Hedges and Stern (1984) and using cyclohexanone-2,4-dinitrophenylhydrazine as standard.

BCO-DMO Processing Description

- Imported original file "Incubation_POC_v2.csv" into the BCO-DMO system.
- Flagged "NA" as a missing data value (missing data are empty/blank in the final CSV file).
- Renamed fields to comply with BCO-DMO naming conventions.
- Converted Date column to YYYY-MM-DD format.
- Saved the final file as "985389_v1_poc.csv".

[[table of contents](#) | [back to top](#)]

Related Publications

Campese, L., Russo, L., Abagnale, M., Alberti, A., Bachi, G., Balestra, C., Bellardini, D., Buondonno, A., Cardini, U., Carotenuto, Y., Checcucci, G., Chiusano, M. L., D'Ambra, I., d'Ippolito, G., Di Capua, I., Donnarumma, V., Fontana, A., Furia, M., Galarza-Verkovitch, D., ... Montresor, M. (2024). The NEREA Augmented Observatory: an integrative approach to marine coastal ecology. *Scientific Data*, 11(1). <https://doi.org/10.1038/s41597-024-03787-y>

Methods

Hedges, J. I., & Stern, J. H. (1984). Carbon and nitrogen determinations of carbonate-containing solids1. *Limnology and Oceanography*, 29(3), 657–663. Portico. <https://doi.org/10.4319/lm.1984.29.3.0657>

Methods

[[table of contents](#) | [back to top](#)]

Parameters

Parameter	Description	Units
Date	Date sample was collected	unitless
Incubation	Incubation number identifier	unitless
Bag	Bag number	unitless
Treatment	Nutrient status consisting of either ambient (unamended), replete (amended with 30 uM N, 1.87 uM P, and 30 uM Si), or Si-limited (amended with 30 uM N, 1.87 uM P, 10 uM Si)	unitless
Replicate	Replicate bag number	unitless
Incubation_Timepoint_d	Timepoint during the incubation the sample was collected	day
N	Particulate organic nitrogen	milligrams per cubic meter (mg m-3)
C	Particulate organic carbon	milligrams per cubic meter (mg m-3)

[[table of contents](#) | [back to top](#)]

Instruments

Dataset-specific Instrument Name	Thermo Scientific Flash EA 1112 elemental analyzer
Generic Instrument Name	Thermo Fisher Scientific Flash EA 1112 elemental analyzer
Generic Instrument Description	The Thermo Finnigan {Thermo Fisher Scientific} Flash EA 1112 elemental analyzer is a laboratory instrument used to determine total carbon, hydrogen, nitrogen, sulphur, and oxygen in a sample. The sample is completely and instantaneously oxidised by flash combustion, which converts all organic and inorganic substances into combustion products. The resulting combustion gases pass through a reduction furnace and are swept into the chromatographic column by the helium carrier gas. The gases are separated in the column and detected by the thermal conductivity detector, which gives an output signal proportional to the concentration of the individual components of the mixture. The instrument was originally manufactured by Thermo Finnigan, which was acquired by Thermo Electron and later Thermo Scientific (part of Thermo Fisher Scientific).

[[table of contents](#) | [back to top](#)]

Project Information

Shunt or shuttle? Nutrient-driven biogeochemical consequences of diatom host-virus interactions (Shunt or Shuttle)

Coverage: Gulf of Naples, Italy approx. 40 degrees N, 14 degrees E

NSF abstract:

Diatoms are a type of microscopic marine algae that form the base of the ocean food web and generate about 20% of the oxygen on the planet. Admired since the Victorian age, these organisms are often referred to as the 'glass houses of the sea' because of the intricate architecture of their cell walls made of silicon dioxide, or glass. When these organisms die, the cellular-associated carbon and other elements can be either recycled and reused by other phytoplankton or, because glass is heavier than seawater, lost by sinking out of the surface ocean. Thus, the contribution diatoms make to carbon cycling is dictated by the balance between the factors that facilitate recycling and those that stimulate export. As the most abundant entity in the ocean, viruses have, for decades, been characterized as efficient recyclers, acting as 'shunts' by preventing the transfer of energy up the food chain through host mortality and lysis. However, it has been suggested that viruses may also act as 'shuttles' to the deep ocean, stimulating cellular processes that facilitate sinking. This project is testing this emerging hypothesis and determining how different nutrient regimes influence the fate of diatoms through impacts on viral infection dynamics and death. This is particularly timely given major national and international initiatives currently seeking to quantify how ecosystem interactions regulate carbon export in the ocean. Results of this project have the potential to challenge the canonical role of diatom viruses in carbon cycling and transform the understanding of host-virus interactions in the ocean. This project provides critical funding support for a soft-money, underrepresented, female oceanographer, as well a graduate student and undergraduates. Proposed fieldwork leverages a Rutgers and European Union-funded project, fostering ongoing collaborations with researchers at the Stazione Zoologica Anton Dohrn in Naples, Italy. To facilitate ocean literacy, the PIs are working with the Rutgers' Education and Outreach team to conduct a series of Teen Cafes focused on carbon cycling, phytoplankton, and viruses utilizing the 'Tools of Science' (ToS), a series of educational videos and lesson plans designed to introduce middle, high school, and undergraduate students in underrepresented and underserved communities to core scientific practices.

Diatoms contribute almost 40% of marine primary productivity, dominating the biological pump and disproportionately contributing to carbon export due to the ballasted nature of a silica-based cell wall. The contribution of diatoms to carbon sequestration is dictated by the balance between upper ocean remineralization and sinking, yet we still cannot explain widespread spatio-temporal variability in diatom-mediated export. As the most abundant predatory entities in the ocean, viruses play a critical role in shaping microbial ecosystems and driving global biogeochemical cycles. The premise of this proposal is that nutrient

regimes drive the biogeochemical consequences of diatom host-virus interactions. For decades, the role of viruses as ‘shunts’, redirecting particulate matter away from higher trophic levels and into the dissolved fraction through host lysis, has dominated microbial ecology and marine virology. However, the idea that viruses may also act as ‘shuttles’, facilitating carbon export by stimulating aggregation and/or ballast production, is now emerging as a potential mechanism for carbon flux. This project is conducting laboratory-based studies on diverse diatom host-virus systems and manipulative studies on natural diatom communities to compare the impact of viral infection on processes that facilitate sinking – mineral ballast production and particle aggregation – to those that stimulate remineralization – bacterial-mediated hydrolysis and subsequent remineralization of diatom particulate organic matter and silica. Taken together, this work is characterizing the relative balance between these diametrically opposing outcomes within the ecophysiological context of nutrient regime (specifically, silicon and iron limitation), ultimately elucidating the impact of viral infection on the fate of diatom organic matter in the ocean.

This award reflects NSF's statutory mission and has been deemed worthy of support through evaluation using the Foundation's intellectual merit and broader impacts review criteria.

[[table of contents](#) | [back to top](#)]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-2049386

[[table of contents](#) | [back to top](#)]